


Lamp Application Guide

tanning fact book 2007 / 2008

Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	Te*	Tm*
COSMEDICO LIGHT, INC.							
Low Pressure							
CosmoLux® Full-Coat							
CosmoLux UVA Plus (F71)	6'	100	Bi-pin	Blue	500	35	90
CosmoLux UVA Plus (F59)	5'	80	Bi-pin	Blue	500	35	90
CosmoLux ESP (F73)	73"	100	RDC	Blue	800	12	30
CosmoLux ESP (F71)	6'	100	Bi-pin	Blue	800	12	30
CosmoLux VHO (F71)	6'	160	Bi-pin	Blue	800	12	35
CosmoLux GSP 9K90 (F71)	6'	100	Bi-pin	Blue	+1500	14	34
CosmoLux® Reflector							
CosmoLux RA Plus (FR71)	6'	100	Bi-pin	Blue	500	30	75
CosmoLux RA Plus (FR59)	5'	80	Bi-pin	Blue	500	30	75
CosmoLux RCS (FR71)	6'	100	Bi-pin	Blue	500	25	70
CosmoLux RCS (FR59)	5'	80	Bi-pin	Blue	500	25	70
CosmoLux ESP/R (FR73)	6'	100	RDC	Blue	800	11	30
CosmoLux ESP/R (FR71)	6'	100	Bi-pin	Blue	800	11	30
CosmoLux VLR (FR71)	6'	100	Bi-pin	Blue	800	14	42
CosmoLux VLR (FR59)	5'	80	Bi-pin	Blue	800	14	42
CosmoLux VLR (2M)	2 meters	120	Bi-pin	Blue	800	14	42
CosmoLux VLR-TT (FR71)	6'	100	Bi-pin	Blue	800	13	38
CosmoLux VLR-TT (FR59)	5'	80	Bi-pin	Blue	800	13	38
CosmoLux VLR 9K90 (FR71)	6'	100	Bi-pin	Blue	+1000	9	20
CosmoLux VHR (FR71)	6'	160	Bi-pin	Blue	800	10	30
CosmoLux VHR (FR59)	5'	140	Bi-pin	Blue	800	10	30
CosmoLux VHR TT (FR73)	73"	160	RDC	Blue	800	9	27
CosmoLux VHR TT (FR71)	6'	160	Bi-pin	Blue	800	9	27
CosmoLux VHR TT (FR59)	5'	140	Bi-pin	Blue	800	9	27
CosmoLux VHR (FR2.0M)	2 meters	180	Bi-pin	Blue	800	10	30
CosmoLux VHR 9K90	6'	160	Bi-pin	Blue	+1000	10	30
CosmoLux VHR 9K90 2M	2 meters	180	Bi-pin	Blue	+1000	10	30
CosmoLux VHR 9K90 2M	2 meters	225	Bi-pin	Blue	+600	10	30
CosmoLux® Short Full-Coat							
CosmoLux UVA Plus 15w	1'	15	Bi-pin	Blue	300	30	80
CosmoLux UVA Plus 25w	1.5'	25	Bi-pin	Blue	500	18	52
CosmoLux LS 25w	1.5'	25	Bi-pin	Blue	800	20	60
CosmoLux SP 25w	1.5'	25	Bi-pin	Blue	800	54	130
Brilliant Sun S.I.S. Compact		36	2G11	Blue	500	22	65
CosmoLux® Short Reflector							
CosmoLux VHR 18w	1.5'	18	Bi-pin	Blue	600	60	150
CosmoLux LSR 25w	1.5'	25	Bi-pin	Blue	800	18	48
CosmoLux RA Plus 40w	2'	40	Bi-pin	Blue	500	40	100
CosmoSun® Full-Coat							
CosmoSun 520 (F73)	73"	100	RDC	Blue	500	14	40
CosmoSun 520 (F71)	6'	100	Bi-pin	Blue	500	14	40
CosmoSun 520 (F59)	5'	80	Bi-pin	Blue	500	14	40
CosmoSun 515 (F73)	73"	100	RDC	Blue	500	12	30
CosmoSun 515 (F71)	6'	100	Bi-pin	Blue	500	12	30
CosmoSun 515 (F59)	5'	80	Bi-pin	Blue	500	12	30
Goldarium® Full-Coat							
Goldarium SP (F73)	73"	100	RDC	Blue	1000	14	40
Goldarium SP (F71)	6'	100	Bi-pin	Blue	1000	14	40
Goldarium SP (F59)	5'	80	Bi-pin	Blue	1000	14	40
Goldarium® Reflector							
Goldarium SR (FR71)	6'	100	Bi-pin	Blue	1000	18	48
Goldarium SR (FR59)	5'	80	Bi-pin	Blue	1000	18	48
Hi-Tan® Full-Coat							
Hi-Tan (F73) 10 minute	73"	100	RDC	Blue	800	10	20
Hi-Tan (F71) 10 minute	6'	100	Bi-pin	Blue	800	10	20
Hi-Tan (F59) 10 minute	5'	80	Bi-pin	Blue	600	10	20
Hi-Tan VHO (F73)	73"	160	RDC	Blue	800	7	20
Hi-Tan VHO (F72)	6'	160	RDC	Blue	800	7	20
Hi-Tan® Reflector							
Hi-Tan VHR	6'	160	Bi-Pin	Blue	700	8	25
CosmoStar® Full-Coat							
CosmoStar Longlife (F71)	6'	100	Bi-pin	Blue	1000	15	45
CosmoStar Longlife (F59)	5'	80	Bi-pin	Blue	1000	15	45
High Pressure							
Ariana							
Ariana HP 400 R7s		400		Contact ends	1000		
Ariana HP 500 R7s		500		Contact ends	1000		
Ariana HP 400		400		Wire-lead	1000		
Ariana 500		500		Wire-lead	1000		
Ariana E HP 400 R7s		400		Contact ends	750		
Ariana S 1000/220v		1000		Wire-lead	750		


LOOKING FIT




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	Te*	Tm*
Ariana 5 1000/380v		1000	Wire-lead		750		
Ariana 400 SE		400	Single end		750		
Ariana 500 SE		500	Single end		750		
Ariana 1000 SE		1000	Single end		750		
Ariana SBSN 1000 SE		1000	Single end		750		
CosmoTech							
CosmoTech 400 R7s		400	Contact ends		750		
CosmoTech L 400 R7s		400	Contact ends		750		
CosmoTech 1200		1200	Wire-lead		750		
CosmoTech 2000		2000	Wire-lead		750		
CosmoTech 2000/380v		2000	Wire-lead		750		

*Te and Tm values are the basis for determining Maximum Exposure Time according to Federal Standard 21 CFR 1040.20. Te-Erythral Effectiveness = 4 MED. Tm-Melanogenetic Effectiveness = 4 MMD.


Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
AUSTRALIAN GOLD						
Bellarium S	71"	100	Bi-pin	Warm	1000	
Bellarium S	73"	100	RDC	Warm	1000	
Bellarium S/R	71"	R160	Bi-pin	Warm	800	
Bronzing Sun™	73"	100	RDC	Blue	800	
Bronzing Sun™	59"	R80	Bi-pin	Blue	500	
Bronzing Sun™ Elite	59"	140	Bi-pin	Blue	500	
Bronzing Sun™	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™	73"	R100	RDC	Blue	800	
Bronzing Sun™	59"	R140	Bi-pin	Blue	800	
Bronzing Sun™	71"	160	Bi-pin	Blue	800	
Bronzing Sun™	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™	73"	R160	Bi-pin	Blue	800	
Bronzing Sun™	79"/2 meters	R180	Bi-pin	Blue	800	
Bronzing Sun™ Gold	71"	R200	Bi-pin	Blue	500	
Bronzing Sun™ Gold	79"/2 meters	R200	Bi-pin	Blue	500	
Bronzing Sun™ Mag.	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ Plus	73"	R160	RDC	Blue	800	
Bronzing Sun™ HPK90	71"	100	Bi-pin	Blue	1000	
Bronzing Sun™ HPK90	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ HPK90 Plus	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R180	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R200	Bi-pin	Blue	800	
Bronzing Sun™ Elite	71"	R160	Bi-pin	Blue	500	
Bronzing Sun™ Elite	73"	R160	RDC	Blue	500	
Dark Tan™ II	71"	100	Bi-pin	Blue	500	
Dark Tan™ II	73"	100	RDC	Blue	500	
Dark Tan™ II Plus	71"	100	Bi-pin	Blue	500	
Dark Tan™ II Plus	73"	100	RDC	Blue	500	
Dark Tan™ II Plus	71"	R100	Bi-pin	Blue	500	
Dark Tan™ Elite	71"	100	Bi-pin	Blue	500	
Dark Tan™ Elite	73"	100	RDC	Blue	500	
Diamond Sun® S	59"	80	Bi-pin	Warm	1000	
Diamond Sun® S	71"	100	Bi-pin	Warm	1000	
Diamond Sun® S	72"	100	RDC	Warm	1000	
Diamond Sun® S	73"	100	RDC	Warm	1000	
Dominion	71"	100	Bi-pin	Warm	1000	
Dominion	73"	100	RDC	Warm	1000	
Eternal Sun	59"	80	Bi-pin	Warm	1000	
Eternal Sun	71"	100	Bi-pin	Warm	1000	
Eternal Sun	73"	100	RDC	Warm	1000	
Eurosun S3	71"	100	Bi-pin	Warm	1500	
Eurosun S3	73"	100	RDC	Warm	1500	
Everglo	59"	80	Bi-pin	Warm	1000	
Everglo	71"	100	Bi-pin	Warm	1000	
Everglo	73"	100	RDC	Warm	1000	
Solarium VHO	72"	160	RDC	Warm	800	
Solarium VHO	73"	160	RDC	Warm	800	
Solarium LR	71"	R100	Bi-pin	Warm	800	
Solarium XLR	71"	R160	Bi-pin	Warm	800	
Solarium XLR	72"	R160	RDC	Warm	800	
Solarium XLR	73"	R160	RDC	Warm	800	
Velocity®	59"	80	Bi-pin	Blue	1000	
Velocity®	71"	100	Bi-pin	Blue	1000	
Velocity®	73"	100	RDC	Blue	1000	
Velocity®	73"	120	RDC	Blue	800	
Velocity® Extreme	71"	100	Bi-pin	Blue	1000	
Velocity® Plus	71"	100	Bi-pin	Blue	1000	
Velocity® Plus	73"	100	RDC	Blue	1000	
Velocity® VS-R	71"	R160	Bi-pin	Blue	800	
Facials and High Pressure						
Del-Sol™		800			600	
TurboSun® S	12"	10	Bi-pin	Warm	1000	
Heraeus OHC SLIM 25L	F21	25	Bi-pin		600	
Heraeus OHC SLIM 25LR	FR21	25	Bi-pin		600	
Heraeus OHM 400	4.2"	400	Clip-in		1000	
Heraeus HPT 400	4.3"	400	Clip-in		600	
Heraeus OHC 460	4.2"	400	Clip-in		600	
Heraeus OHN 24/50		240-500	Plug-in		750	
Heraeus OHN 30/50		300/500	Plug-in		750	
Heraeus OHC 560	4.2"	500	Clip-in		600	
Heraeus OHC 561	4.3"	500	Wire-lead		600	
Heraeus OHN 50/100		500/1000	Plug-in		750	
Heraeus MAT 600		600	Wire-lead		600	
Heraeus OHN 800		800	Clip-in		750	
Heraeus MAT 1000		1000	Wire-lead		600	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Heraeus ORB 1000		1000/380V	Wire-lead		600	
Heraeus OHC 1147	5.4"	1000	Wire-lead		600	
Heraeus OHC 2127	6.75"	2000/230V	Wire-lead		600	
Heraeus OHC 2829	6.75"	2000/380V	Wire-lead		600	
CALIFORNIA TAN						
Helio™ Collection						
Helio F59 5.0	59"	80	Bi-pin		1200	
Helio F71 5.0	71"	100	Bi-pin		1200	
Helio F71 5.0	71"	160	Bi-pin		800	
Helio F71 6.5	71"	100	Bi-pin		1200	
Helio F71 8.5	71"	100	Bi-pin		1200	
Helio F73 5.0	73"	100	RDC		1200	
Helio F73 6.5	73"	100	RDC		1200	
Helio F73 8.5	73"	100	RDC		1200	
Helio FR71 5.0	71"	100	Bi-pin		1000	
Helio FR71 6.5	71"	100	Bi-pin		1000	
Helio FR73 5.0	73"	100	RDC		1000	
Helio FR73 5.0	73"	160	RDC		800	
Helio FR73 6.5	73"	100	RDC		1000	
Helio FR73 6.5	73"	160	RDC		800	
Double-Action						
Helio Double-Action F71 5.0	71"	100	Bi-pin		1200	
HelioPulse™ Collection						
HelioPulse FR59	59"	140	Bi-pin		1000	
HelioPulse FR71	71"	100	Bi-pin		1200	
HelioPulse FR71	71"	160	Bi-pin		1000	
HelioPulse FR+71	71"	100	Bi-pin		1200	
HelioPulse FR+71	71"	160	Bi-pin		1000	
HelioPulse FR+71	71"	160	RDC		1000	
HelioPulse FR73	73"	100	RDC		1200	
HelioPulse FR+73	73"	160	RDC		1000	
HelioPulse FR+78	78"	180	Bi-pin		1000	
HelioPulse HP Facial		400	Double-end clip		750	
HelioPulse HP Facial		500	Single-end		750	
HelioPulse HP Facial		1000	Wire-lead		750	
HelioPulse HP Facial		1000	Single-end		750	
HelioPulse HP Facial		2000	Wire-lead		750	
HelioPulse™ High-Pressure Performance Collection						
HelioPulse HPP FR71	71"	160	Bi-pin		1000	
HelioPulse HPP FR78	78"	180	Bi-pin		1000	
CREATIVE MARKETING CONCEPTS/SUNCAPSULE						
Cosmolux VHR 220W	1.9 meter	200	Bi-pin		600	2.89
Cosmolux VHR 220W HP	1.9 meter	200	Bi-pin		600	1.7
200-watt Series						
Cosmolux VHR 200W	71"	200	Bi-pin		600	2.89
Cosmolux VHR 200W HP	71"	200	Bi-pin		600	1.7
160-watt Series						
Suncapsule VHR/SC 160W	71"	160	Bi-pin		600	2.89
Cosmolux VHR 160W HP	71"	160	Bi-pin		600	1.7
Cosmolux VHR 160W	71"	160	Bi-pin		800	2.89
Cosmolux VHR 160W TT	71"	160	Bi-pin		800	3.1
Cosmolux VHR 160W 9K90	71"	160	Bi-pin		1000	1.7
HI-TAN VHO 160W RDC	73"	160	RDC		800	3.4
Cosmolux VHR 160W TT RDC	73"	160	RDC		800	3
Cosmolux 160W VHO	71"	160	RDC		800	3.5
HI-TAN VHO 160W RDC	72"	160	RDC		800	3.4
Cosmolux HI TAN 160W VHR	71"	160	Bi-pin		700	3.9
140-watt Series						
Cosmolux VHR TT 140W	59"	140	Bi-pin		800	3.1
Cosmolux VHO 140W	59"	140	Bi-pin		800	3.4
Cosmolux VHR 140W	59"	140	Bi-pin		800	2.8
100-watt Series						
Cosmosun 515 100W	71"	100	Bi-pin		500	4.4
Cosmosun 515 100W RDC	73"	100	RDC		500	4.4
Cosmosun 520 100W	71"	100	Bi-pin		500	4
Cosmosun 520 100W RDC	73"	100	RDC		500	4
HI-TAN 100W	71"	100	Bi-pin		800	4.7
HI-TAN 100W RDC	73"	100	RDC		800	4.7
Cosmolux UVA Plus 100W	71"	100	Bi-pin		500	1.4
Cosmolux GSP 9K90 100W	71"	100	Bi-pin		1500	2
Goldarium SP 100W	71"	100	Bi-pin		1000	4
Goldarium SP 100W RDC	73"	100	RDC		1000	4
Cosmostar Longlife 100W	71"	100	Bi-pin		1000	2.9
Cosmolux ESP 100W	71"	100	Bi-pin		800	4.4
Cosmolux VLR 100W TT	71"	100	Bi-pin		800	3.1
Cosmolux VLR 100W 9K90	71"	100	Bi-pin		1000	1.9
Cosmolux VLR 100W	71"	100	Bi-pin		800	2.7
Cosmolux ESP 100W RDC	73"	100	RDC		800	4.4
Goldarium SR 100W	71"	100	Bi-pin		1000	3.3
Cosmolux RA Plus 100W	71"	100	Bi-pin		500	1.5
Cosmolux RCS 100W	71"	100	Bi-pin		500	1.2
Cosmolux ESP/R 100W	71"	100	Bi-pin		800	3.4
Cosmolux ESP/R 100W RDC	73"	100	RDC		800	3.4
80-watt Series						
Cosmosun 515 80W	59"	80	Bi-pin		500	4.5
Cosmosun 520 80W	59"	80	Bi-pin		500	4.1
HI-TAN 80W	59"	80	Bi-pin		600	4.3
Cosmolux UVA Plus 80W	59"	80	Bi-pin		500	1.2
Goldarium SP 80W	59"	80	Bi-pin		1000	1.4
Cosmostar Longlife 80W	59"	80	Bi-pin		1000	3.1
Cosmolux VLR TT 80W	59"	80	Bi-pin		800	3
Goldarium SR 80W	59"	80	Bi-pin		1000	3
Cosmolux RA Plus 80W	59"	80	Bi-pin		500	1.4
Cosmolux RCS 80W	59"	80	Bi-pin		500	1.2




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Cosmolux ESP/R 80W	59"	80	Bi-pin		800	3.5
Cosmolux VLR 80W	59"	80	Bi-pin		800	2.6
Spaghetti Lamps						
Cosmolux UVA Plus 15W		15	Bi-pin		300	4.7
Cosmolux VHR 18 36W		36	Bi-pin		600	2.9
Cosmolux LSR 25W		35	Bi-pin		800	3.8
Cosmolux UVA Plus 25W		25	Bi-pin		500	2.1
Cosmolux LS 25W		25	Bi-pin		800	2.4
Cosmolux SPR 25W		25	Bi-pin		800	1.6
Cosmolux SP 25W		25	Bi-pin		800	1.6
Brilliant Sun SIS Compact 36W		36	Single-ended		500	1
Cosmolux RA Plus 40W		40	Bi-pin		500	1.4
2.0 Meter Lamps						
Cosmolux VLR 120W	2 meter	120	Bi-pin		800	2.8
Cosmolux VHR 180W	2 meter	180	Bi-pin		800	2.8
Cosmolux VHR 180W 9K90	2 meter	180	Bi-pin		1000	1.2
Cosmolux VHR 9K90 225W	2 meter	225	Bi-pin		600	1.2
Electronic Starters						
Cosmolux E Starters 15-225W					10 year warranty	
Cosmo E Starters 160WLMP/140W BLST					10 year warranty	
Facials						
Ariana HP 400W R7s			Clip-in		750	
Ariana HP 400W R7s			Clip-in		1000	
Ariana HP 400W			Wire-lead		1000	
Ariana HP 500WR7s			Clip-in		1000	
Ariana HP 500W			Wire-lead		1000	
Ariana S 1000W/220V			Wire-lead		750	
Ariana S 1000W/380V			Wire-lead		750	
Ariana 400 SE			Single-end		750	
Ariana 500 SE			Single-end		750	
Ariana 1000 SE			Single-end		750	
Ariana SBSN 1000 SE			Single-end		750	
Cosmotech 400W R7s			Clip-in		750	
Cosmotech L 400W R7s			Clip-in		750	
Cosmotech 1200W			Wire-lead		750	
Cosmotech 2000W			Wire-lead		750	
Cosmotech 2000W/380V			Wire-lead		750	
FOUR SEASONS SALES & SERVICE, INC.						
Radiance HP 400/500 230V	110mm	400-500	Clip-in		600	
Radiance HP 400/500 230V	110mm	300-520	Plug-in		600	
Radiance HP 400/500 230V	110mm	400-500	Wire-lead		600	
Radiance HP 600/650 230V	110mm	400-500	Plug-in		600	
Radiance HP 610 230V	129mm	610	Dual plug blade		600	
Radiance HP 620 Matrix 230V	160mm	620	Wire-lead		600	
Radiance HP 630 230V	120mm	630	Dual plug round		600	
Radiance HP 1000 230V	115mm	800-1000	Plug-in		600	
Radiance HP 1000 230V	138mm	1000-1400	Wire-lead		600	
Radiance HP 1000 380V	138mm	1000-1400	Wire-lead		600	
Radiance HP 1000 Matrix 230V	168mm	1000-1400	Wire-lead		600	
Radiance HP 1400 Matrix 230V	168mm	1000-1400	Wire-lead		600	
Radiance HP 1510 230V	135mm	1450-1510	Dual plug blade		600	
Radiance HP 1530 230V	128mm	1450-1530	Dual plug round		600	
Radiance HP 2000 380V	174mm	2000-2400	Wire-lead		600	
Radiance Turbo	F8	10	Bi-pin		800	
Radiance 25	F25	25	Bi-pin		1000	
Radiance HRF	F18	40	Bi-pin		800	
Radiance 120	F73	120	RDC		1200	
Radiance 3000	F71	100	Bi-pin		1200	
Radiance 5000	F59	100	Bi-pin		1200	
Radiance 5000	F59	140	Bi-pin		800	
Radiance 5000	F71	100	Bi-pin		1200	
Radiance 5000	F71	160	Bi-pin		800	
Radiance 5000	F72	100	RDC		1200	
Radiance 5000	F73	100	RDC		1200	
Radiance 5000R	F71	100	Bi-pin		1000	
Radiance 5000R	F73	100	RDC		1000	
Radiance 7000	F59	80	Bi-pin		1200	
Radiance 7000	F71	100	Bi-pin		1200	
Radiance 7000	F72	100	RDC		1200	
Radiance 7000	F73	100	RDC		1200	
Radiance 7000R	F71	100	Bi-pin		1000	
Radiance 7000R	F73	100	RDC		1000	
Radiance 8000	F59	80	Bi-pin		1200	
Radiance 8000	F71	100	Bi-pin		1200	
Radiance 8000	F72	160	RDC		800	
Radiance 8000	F73	100	RDC		1200	
Radiance 8000	F73	160	RDC		800	
Radiance 9000	F71	100	Bi-pin		1000	
Radiance 9000	F73	100	RDC		1000	
Radiance 9000	F74	100-120	RDC		1000	
Radiance Plus+ 5000	F59	80	Bi-pin		1500	
Radiance Plus+ 5000	F71	100	Bi-pin		1500	
Radiance Plus+ 5000	F72	100	RDC		1500	
Radiance Plus+ 5000	F73	100	RDC		1500	
Radiance Plus+ 5000R	F59	80	Bi-pin		1200	
Radiance Plus+ 5000R	F71	100	Bi-pin		1200	
Radiance Plus+ 5000R	F73	100	RDC		1200	
Radiance Plus+ 7000	F59	80	Bi-pin		1500	
Radiance Plus+ 7000	F71	100	Bi-pin		1500	
Radiance Plus+ 7000	F72	100	RDC		1500	
Radiance Plus+ 7000	F73	100	RDC		1500	
Radiance Plus+ 7000R	F59	80	Bi-pin		1200	
Radiance Plus+ 7000R	F71	100	Bi-pin		1200	
Radiance Plus+ 7000R	F73	100	RDC		1200	
Radiance Plus+ 8000	F71	100	Bi-pin		1500	
Radiance Plus+ 8000	F72	100	RDC		1500	
Radiance Plus+ 8000	F72	160	RDC		1000	
Radiance Plus+ 8000	F73	100	RDC		1500	
Radiance Plus+ 8000	F73	160	RDC		1000	
Radiance Plus+ 9000	F59	80	Bi-pin		1200	
Radiance Plus+ 9000	F71	100	Bi-pin		1200	
Radiance Plus+ 9000	F72	100	RDC		1200	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
BAUVL25W/SPAG/R	21"	25	Bi-pin			
BAUVL71/100RP	71"	100	Bi-pin			
AUUVL-BFA1000LW/230		1000	Wire-lead			
AUUVL-BFA1000P/230		800-1000	Plug-in			
AUUVL-BFA1000W/230		800-1000	Wire-lead			
AUUVL-BFA1000W/380		1000	Wire-lead			
AUUVL-BFA1510B/230		1510	Blade			
AUUVL-BFA1530P/230		1530	Pin			
AUUVL-BFA1400W/230		1400	Wire-lead			
AUUVL-BFA2000W/230		2000	Wire-lead			
AUUVL-BFA2000W/380		2000	Wire-lead			
AUUVL-BFA400C/230		400	Clip-in			
AUUVL-BFA400PLUSC/230		400	Clip-in			
AUUVL-BFA400PLUSW/230		400	Wire-lead			
AUUVL-BFA500P/230		300-500	Plug-in			
AUUVL-BFA610B/230		610	Blade			
AUUVL-BFA630P/230		630	Pin			
AUUVL-BFA620W/230		620	Wire-lead			
AUUVL-BFA650P/230		400-650	Plug-in			
AUUVL-BFA650W/230		400-650	Wire-lead			
AUUVL-BFA750P/230		500-750	Plug-in			
AUUVL-BFA800C/230		800	Clip-in			
Voltarc-BV59/140/R/BRON	59"	140	Bi-pin			
Voltarc-BV59/140/R50GTX	59"	140	Bi-pin			
Voltarc-BV59/80/N50GTX	59"	80	Bi-pin			
Voltarc-BV59/80/R50GTX	59"	80	Bi-pin			
Voltarc-BV71/100/N50GTX	71"	100	Bi-pin			
Voltarc-BV71/100/N65GTX	71"	100	Bi-pin			
Voltarc-BV71/100/N75GTX	71"	100	Bi-pin			
Voltarc-BV71/100/R/BRON	71"	100	Bi-pin			
Voltarc-BV71/100/R50GTX	71"	100	Bi-pin			
Voltarc-BV71/100/R65GTX	71"	100	Bi-pin			
Voltarc-BV71/160/N50GTX	71"	160	Bi-pin			
Voltarc-BV71/160/R/BRON	71"	160	Bi-pin			
Voltarc-BV71/160/R50GTX	71"	160	Bi-pin			
Voltarc-BV71/160/R65GTX	71"	160	Bi-pin			
Voltarc-BV72/100/N65GTX	72"	100	RDC			
Voltarc-BV72/160/N65GTX	72"	160	RDC			
Voltarc-BV72/160/N75GTX	72"	160	RDC			
Voltarc-BV73/100/N50GTX	73"	100	RDC			
Voltarc-BV73/100/N75GTX	73"	100	RDC			
Voltarc-BV73/100/R50GTX	73"	100	RDC			
Voltarc-BV73/160/N50GTX	73"	160	RDC			
Voltarc-BV73/160/N75GTX	73"	160	RDC			
Voltarc-BV73/160/R65GTX	73"	160	RDC			
Wolff Bronzing Sun	59"	140	Bi-pin			
Wolff Bronzing Sun	71"	160	Bi-pin			
Wolff Bronzing Sun	71"	100	Bi-pin			
Wolff Velocity VSR	71"	160	Bi-pin			
Wolff Velocity	71"	100	Bi-pin			
Wolff Velocity	73"	100	RDC			
Wolff Dark Tan	71"	100	Bi-pin			
also carries other Wolff lamps						
Cosmedico VHR	71"	160	Bi-pin			
Cosmedico VHR200	71"	160	Bi-pin			
Cosmedico VLR	71"	100	Bi-pin			
Cosmedico VHO	71"	160	Bi-pin			
Cosmedico VHRRT	71"	160	Bi-pin			
GLOBAL SUN LIGHT						
Bermuda Gold						
Bermuda Gold 100W 5.0	71"	100	Bi-pin			
Bermuda Gold 100W 6.5	71"	100	Bi-pin			
Bermuda Gold 105W 71" BP Premium	71"	105	Bi-pin			
Bermuda Gold 100W 5.0	73"	100	RDC			
Bermuda Gold 100W Premium 6.5	73"	100	RDC			
Bermuda Gold 100W 6.5	73"	100	RDC			
Bermuda Gold 160W Premium	72"	160	RDC			
Bermuda Gold 160W VHO 6.5	73"	160	RDC			
Bermuda Gold 160W Premium 6.5	73"	160	RDC			
Bermuda Gold 160W Premium Plus	71"	160	Bi-pin			
Bermuda Gold 160W Premium Plus	73"	160	RDC			
Bermuda Gold 105W 6.5 Premium	71"	105	Bi-pin			
Bermuda Gold 160W VHO Premium	71"	160	Bi-pin			
Bermuda Gold 105W 6.5 Premium	73"	105	RDC			
Bermuda Gold 105W Premium Plus	71"	105	Bi-pin			
Bermuda Gold 140W VHO Premium Plus	59"	140	Bi-pin			
Bermuda Gold 105W 10 X	71"	105	Bi-pin			
Bermuda Gold 105W 10 X	72"	105	RDC			
Bermuda Gold 105W 10 X	73"	105	RDC			
Bermuda Gold 105W 10 X Premium	74"	105	RDC			
Bermuda Gold 120W 10 X Premium	74"	120	RDC			
CosmoLux						
CosmoLux 40W Plus (15504)		40	Bi-pin			
CosmoLux 80W ESP (12580)	59"	80	Bi-pin			
CosmoLux 80W	59"	80	Bi-pin			
CosmoLux 100W ESP 71" (12600)	71"	100	Bi-pin			
CosmoLux 100W ESP 73" (12601)	73"	100	RDC			
CosmoLux 100W Goldarium 5 Plus 71" (11305)	71"	100	Bi-pin			
CosmoLux 100W Goldarium 5 Plus 73" (11306)	73"	100	RDC			
CosmoLux 100W HI TAN 71" (10198)	71"	100	Bi-pin			
CosmoLux 100W HI TAN 73" (10199)	73"	100	RDC			
CosmoLux 100W TT	71"	100	Bi-pin			
CosmoLux 140W 59" (16150)	59"	140	Bi-pin			
CosmoLux 140W 59" VHO (16141)	59"	140	Bi-pin			
CosmoLux 160W 71" VHO (16161)	71"	160	Bi-pin			
CosmoLux 160W 71" (16180) 450/600	71"	160	Bi-pin			
CosmoLux 160W TT (16169)	71"	160	Bi-pin			
CosmoLux 160W HI TAN 72" VHO (16172)	72"	160	RDC			
CosmoLux 160W HI TAN 73" (16077)	73"	160	RDC			
CosmoLux 160W 9K90 71"	71"	160	Bi-pin			
CosmoLux 180W 2.0 M (16220)	78"	180	Bi-pin			
CosmoLux HI-TAN 80W 59" 10 Min.	59"	80	Bi-pin			




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Ergoline						
Ergo Turbo Pwr VHP 10 160W (LT)	71"	160	Bi-pin			
Ergo Turbo Pwr VHP 12 160W (LT)	71"	160	Bi-pin			
Ergo VHP8 180W 2M (LT)	2 meters	180				
Ergo VHP15 120W (LT)	71"	120	Bi-pin			
Ergo VHP15 140W (LT)	71"	140	Bi-pin			
Soltron						
Soltron Turbo Pwr VHP 10 160W (LT)	71"	160	Bi-pin			
Soltron Turbo Pwr VHP 12 160W (LT)	71"	160	Bi-pin			
Soltron VHP15 120W (LT)	71"	120	Bi-pin			
Soltron VHP15 140W (LT)	71"	140	Bi-pin			
Soltron VHP20 100W (LT)	71"	100	Bi-pin			
Soltron VHP20 120W 2M (LT)	78"	120	Bi-pin			
Soltron VHP8 180W 2M (LT)	78"	180	Bi-pin			
Facials						
Facial Genesis/Sundash HRF						
Facial Lamp Philips 1000W Wire-lead (HPA 1200 S)		1200				
Facial Lamp 1000W 1127 BQ112724		1000				
Facial Lamp 1000W 380V 1KW		1000				
Facial Lamp 400W Screw-in		400				
Facial Lamp 500W Clip-in R7s		500				
Facial Lamp 400W Clip-in (HPA 400 S)		400				
Facial CosmoLux LRS 25W		25				
Facial CosmoLux LS 25W		25				
Facial CosmoLux 400W RA		40				
Facial 500W Wire-lead		500				
Facial 1000W 220V Wire-lead		1000				
Facial 1000W 380V Wire-lead		1000				
Facial 2000W 220V Wire-lead		2000				
Facial 2000W 380V Wire-lead		2000				
Facial Philips 400W-300 Dual-end (HPA 400/3 SD)		400				
Facial Philips 500W-450/600 BP		500				
Facial Philips 400W HPA 400S		400				
Facial Philips 400W HPA 400/30 S		400				
Facial Philips 400W HPA 400/30 SD		400				
Facial Philips 400W HPA 400/30 SC Wire-lead		400				
Facial Philips 400W HPA 400/30 SDC		400				
Facial Philips 500W-450/600 BP		500				
Genesis						
Genesis Hyperbronze Reflector	71"	105	Bi-pin			
Genesis Hyperbronze	71"	105	Bi-Pin			
Genesis Hyperbronze	73"	105	RDC			
Genesis 9K90 Reflector	71"	100	Bi-Pin			
Genesis 9K90 by Cosmedico	71"	160	Bi-Pin			
Genesis 105W (30M)	60"	105	RDC			
Genesis 105 Turbo 8.5	71"	105	Bi-pin			
Genesis 105W (30M)	72"	105	RDC			
Genesis 105W	73"	105	RDC			
Genesis 105W Turbo 8.5	73"	105	RDC			
Genesis 105	10x73"	105	RDC			
Genesis 105W	10x74"	105	RDC			
Genesis 105W Plus	59"	105	Bi-pin			
Genesis 105W Plus	71"	105	Bi-pin			
Genesis 105W Plus	72"	105	RDC			
Genesis 105W Plus	73"	105	RDC			
Genesis 120W	71"	120	Bi-pin			
Genesis 120W	73"	120	RDC			
Genesis 120W	10x74"	120	RDC			
Genesis 120 9k90	71"	120	Bi pin			
Genesis 120 Kk90	73"	120	Bi pin			
Genesis 170W 450/600 WRSE	71"	170	Bi-pin			
Genesis 170W WRX	71"	170	Bi-pin			
Genesis 170W WRXE VHO	71"	170	Bi-pin			
Genesis 170W VHO Top CD1	72"	170	RDC			
Genesis 170W WRS Top 40	72"	170	RDC			
Genesis 170W WRX	72"	170	RDC			
Genesis 170W GS	72"	170	RDC			
Genesis 170W WRS	73"	170	RDC			
Genesis 170W WRX	73"	170	RDC			
Genesis 200W SHO Top 40 CD2	72"	200				
Genesis 200W SHR Top 40 CD2	72"	200	RDC			
Genesis 200W SHRX SR-48	72"	200	RDC			
Genesis 200W SHRX (2M)	78"	200	RDC			
Philips 25W Cleo S (shoulder lamp for 600)	25"	25	RDC			
Philips 80W Performance	59"	80	RDC			
Philips 80W Advantage	59"	80	RDC			
Philips 80W Professional	59"	80	RDC			
Philips 80W Swift	59"	80	RDC			
Philips 100W Swift	71"	100	Bi-pin			
Philips 100W Swift	73"	100	RDC			
Philips 100W Swift	73"	100	RDC			
Philips 100W Swift	73"	100	RDC			
Philips 100W Swift	73"	160	RDC			
Philips 100W Swift	73"	160	RDC			
Philips 100W Performancer	71"	100	Bi-pin			
Philips 100W Professional	71"	100	Bi-pin			
Philips 100W Professional S	71"	100	Bi-pin			
Philips 100W Advantage	71"	100	Bi-pin			
Philips 100W Swift	71"	100	Bi-pin			
Philips 100W Advantage R	71"	100	Bi-pin			
Philips 100W Advantage	73"	100	RDC			
Philips 100W Professional	73"	100	RDC			
Philips 140W Swift	59"	140	RDC			
Philips 140W	71"	140	Bi-pin			
Philips 140W	71"	140	Bi-pin			
Philips 160W Advantage	71"	160	Bi-pin			
Philips 160W Swift XPT	71"	160	Bi-pin			




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
HEALTH & FITNESS CONCEPTS						
Low Pressure						
Lamp brands carried—Cosmedico, Philips						
High Pressure						
Lamp brands carried—BLV, Heraeus, Philips						
Also carries lamps for the following equipment: Ultrabronz, UltraSun, Dr. Muller, TanAmerica, SunSport Tan-Tech, Tanses, Miracle Sun, Sportarredo, uwe, Sun Ergoline, Soltron, Vitasun, Jetsun, Black Sun, Heartland, Sun Italia, ETS, I.SO Italia						
HEARTLAND TANNING, INC.						
Rave Premium Lamps						
Rave 5.0	59"	80	Bi-pin			
Rave 5.0	71"	100	Bi-pin			
Rave 5.0	73"	100	RDC			
Rave 7.0	59"	80	Bi-pin			
Rave 7.0	71"	100	Bi-pin			
Rave 7.0	73"	100	RDC			
Rave 8.5	59"	80	Bi-pin			
Rave 8.5	71"	100	Bi-pin			
Rave 8.5	72"	100	RDC			
Rave 8.5	73"	100	RDC			
Rave 80 R	59"	80	Bi-pin			
Rave 100 R	71"	100	Bi-pin			
Rave 100 R Plus	71"	100	Bi-pin			
Rave 100 APR	71"	100	Bi-pin			
Rave 140 R	71"	140	Bi-pin			
Rave 160 R	71"	160	Bi-pin			
Rave 160 R Plus	71"	160	Bi-pin			
Rave 160 R Plus	73"	160	RDC			
Rave 160 APR	71"	160	Bi-pin			
Rave 170 R	71"	160	Bi-pin			
Rave 170 R	72"	160	RDC			
Rave 180 APR	79"	160	Bi-pin			
Rave 200R	71"	200	Bi-pin			
Rave 120	73"	120	RDC			
Rave 100 AP	71"	100	Bi-pin			
Rave VHO 8.5	72"	160	RDC			
Rave VHO 8.5	73"	160	RDC			
Rave VHO 71	71"	160	Bi-pin			
Rave Legacy	42.5"	85	Bi-pin			
Rave Dual	71"	100	Bi-pin			
Rave Soft		25	Bi-pin			
Rave Soft R		25	Bi-pin			
Rave APT		40	Bi-pin			
DuraSun						
Durasun 5059	59"	80	Bi-pin			
Durasun 5071	71"	100	Bi-pin			
Durasun 6559	59"	80	Bi-pin			
Durasun 6571	71"	100	Bi-pin			
Durasun 6572	72"	100	RDC			
Durasun 6573	73"	100	RDC			
Wolff						
Solarium VHO	73"	160	RDC		800	
Solarium VHO	72"	160	RDC		800	
Solarium XLR	73"	160	RDC		800	
Solarium XLR	72"	160	RDC		800	
Dominion	73"	100	RDC		1000	
Dominion	71"	100	Bi-pin		1000	
Eurosun S3	73"	100	RDC		1500	
Eurosun S3	71"	100	Bi-pin		1500	
Diamond Sun S	59"	80	Bi-pin		1000	
Diamond Sun S	71"	100	Bi-pin		1000	
Diamond Sun S	72"	100	RDC		1000	
Diamond Sun S	73"	100	RDC		1000	
Dark Tan	71"	100	Bi-pin		500	
Dark Tan	73"	100	RDC		500	
Dark Tan Plus	71"	100	Bi-pin		500	
Dark Tan Plus	73"	100	RDC		500	
Dark Tan II	71"	100	Bi-pin		600	
Dark Tan II	73"	100	RDC		600	
Dark Tan II Plus	71"	100	Bi-pin		600	
Dark Tan II Plus	73"	100	RDC		600	
Dark Tan II Plus	71"	R100	Bi-pin		600	
Dark Tan Elite	71"	100	Bi-pin		500	
Dark Tan Elite	73"	100	Bi-pin		500	
Velocity	73"	100	RDC		1000	
Velocity	71"	100	Bi-pin		1000	
Velocity	59"	80	RDC		1000	
Velocity Plus	73"	100	RDC		1000	
Velocity Plus	71"	100	Bi-pin		1000	
Velocity Extreme	71"	100	Bi-pin		1000	
Velocity Hi Watt	73"	120	RDC		1000	
Velocity VS-R	71"	160	Bi-pin		800	
Everlo	73"	100	RDC		1000	
Everlo	71"	100	Bi-pin		1000	
Everlo	59"	80	Bi-pin		1000	
Bellarium S	73"	100	RDC		1000	
Bellarium S	71"	100	Bi-pin		1000	
Bellarium SR	71"	160	Bi-pin		800	
Bronzing Sun	73"	100	RDC		800	
Bronzing Sun R	59"	80	Bi-pin		800	
Bronzing Sun R	71"	100	Bi-pin		800	
Bronzing Sun R	73"	100	RDC		800	
Bronzing Sun Mag	71"	100	Bi-pin		800	
Bronzing Sun +	71"	100	Bi-pin		800	
Bronzing Sun + R	71"	100	Bi-pin		800	
Bronzing Sun + VS-R	71"	160	Bi-pin		800	
Bronzing Sun + VS-R	73"	160	RDC		800	
Bronzing Sun VS-R	59"	140	Bi-pin		800	
Bronzing Sun VS-R	71"	160	Bi-pin		800	
Bronzing Sun VS-R	73"	160	RDC		800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Bronzing Sun Gold	71"	200	Bi-pin		500	
Bronzing Sun Gold	79"	200	Bi-pin		500	
Bronzing Sun VHO	71"	160	Bi-pin		800	
Bronzing Sun VS-R	79"	180	Bi-pin		800	
Bronzing Sun HP K90	71"	100	Bi-pin		1500	
Bronzing Sun HPK90	71"	R100	Bi-pin		1000	
Bronzing Sun HPK90	71"	R160	Bi-pin		1000	
Bronzing Sun HPK90 +	71"	R160	Bi-pin		1000	
Bronzing Sun HPK90	71"	R180	Bi-pin		750	
Bronzing Sun HPK90	71"	R200	Bi-Pin		600	
Bronzing Sun Elite	59"	R140	Bi-pin		500	
Bronzing Sun Elite	71"	R160	Bi-pin		500	
Bronzing Sun Elite	73"	R160	RDC		500	
TurboSun		10	Facial			
Cosmedico						
Cosmolux VHR 9K90	71"	160	Bi-pin			
Cosmolux VLR	71"	100	Bi-pin			
Cosmolux VHR	71"	160	Bi-pin			
Cosmolux VHR TT	71"	160	Bi-pin			
Hi-Tan	59"	80	Bi-pin			
Hi-Tan	71"	100	Bi-pin			
Hi-Tan	73"	100	RDC			
Cosmolux RA +		40	Bi-pin			
HERAEUS NOBLELIGHT						
Heraeus OH M 400 SF	4.2"	400	Clip-in		1000	
Heraeus OH M 400 LF	4.3"	400	Wire-lead		1000	
Heraeus OH C 460 SF	4.2"	400	Clip-in		600	
Heraeus OH C 461 LF	4.3"	400	Wire-lead		600	
Heraeus OH C 400 EF		400	Plug-in		600	
Heraeus OH N 24/50 EF		240-500	Plug-In		800	
Heraeus OH N 30/50 EF		300-500	Plug-in		800	
Heraeus OH M 500 SF	4.2"	500	Clip-in		1000	
Heraeus OH M 500 LF	4.3"	500	Wire-lead		1000	
Heraeus OH M 500 SLF	4.6"	500	Clip-in		1000	
Heraeus OH C 560 SF	4.2"	500	Clip-in		600	
Heraeus OH C 561 LF	4.3"	500	Wire-lead		600	
Heraeus OH M 600 EF		600	Plug-in		1000	
Heraeus OH C 610 KSF	5.6"	600	KS		600	
Heraeus OH C 610 PSF	5.4"	600	Pin Type		600	
Heraeus OH C 630 LF	5.7"	600	Lead		600	
Heraeus MAT 600	6.1"	600	Wire-lead		600	
Heraeus OH M 50/100 EF		500-1000	Plug-in		1000	
Heraeus OH N 50/100 EF		500-1000	Plug-in		800	
Heraeus OH N 70/100 EF		500-1000	Plug-in		800	
Heraeus OH N 800 SF	4.5"	800	Clip-in		800	
Heraeus OH N 800 EF		800	Plug-in		800	
Heraeus OH N 70/120 EF		1000	Plug-in		800	
Heraeus OH C 1127 LF	5.4"	1000	Wire-lead		600	
Heraeus OH C 1510 PSF	5.8"	1000	Pin Type		600	
Heraeus OH C 1530 LF	6.7"	1000	Lead		600	
Heraeus MAT 1000	6.7"	1000	Wire-lead		600	
Heraeus OH C 1147 LF	5.9"	1500	Wire-lead		600	
Heraeus OH C 1510 KSF	5.7"	1500	KS		600	
Heraeus OH C 2127 LF	6.75"	2000/230V	Wire-lead		600	
Heraeus OH C 2829 LF	6.75"	2000/400V	Wire-lead		600	
Heraeus OH C 2530 LF	8.8"	2400	Lead		600	
Heraeus OH C 2510 KSF	7.9"	2500	KS		600	
INTERLECTRIC CORP.						
Bronzing Lamps						
A-RAY	59"	85	Bi-pin		1000	1.0
Phoenix Extreme	59"	85	Bi-pin		1200	9.5
SC/BP/5.0	59"	85	Bi-pin		1200	5.0
SC/BP/6.5	59"	85	Bi-pin		1200	6.5
SC/BP/7.5	59"	85	Bi-pin		1200	7.5
SC/BP/8.5	59"	85	Bi-pin		1200	8.5
SC/BP/9.5	59"	85	Bi-pin		1200	9.5
SS/BP/2.6	59"	85	Bi-pin		1000	2.6
SS/BP/3.2	59"	85	Bi-pin		1000	3.2
X5000	59"	85	Bi-pin		1000	5.0
X6500	59"	85	Bi-pin		1000	6.5
X7500	59"	85	Bi-pin		1000	7.5
X8500	59"	85	Bi-pin		1000	8.5
A-RAY	71"	100	Bi-pin		1000	1.0
Phoenix Extreme	71"	100	Bi-pin		1200	9.5
SC/BP/5.0	71"	100	Bi-pin		1200	5.0
SC/BP/6.5	71"	100	Bi-pin		1200	6.5
SC/BP/7.5	71"	100	Bi-pin		1200	7.5
SC/BP/8.5	71"	100	Bi-pin		1200	8.5
SC/BP/9.5	71"	100	Bi-pin		1200	9.5
SS/BP/2.6	71"	100	Bi-pin		1000	2.6
SS/BP/3.2	71"	100	Bi-pin		1000	3.2
X5000	71"	100	Bi-pin		1000	5.0
X6500	71"	100	Bi-pin		1000	6.5
X7500	71"	100	Bi-pin		1000	7.5
X8500	71"	100	Bi-pin		1000	8.5
Phoenix Extreme	72"	100	RDC		1200	9.5
SC/5.0	72"	100	RDC		1200	5.0
SC/6.5	72"	100	RDC		1200	6.5
SC/7.5	72"	100	RDC		1200	7.5
SC/8.5	72"	100	RDC		1200	8.5
SC/9.5	72"	100	RDC		1200	9.5
SS/2.6	72"	100	RDC		1000	2.6
X5000	72"	100	RDC		1000	5.0
X6500	72"	100	RDC		1000	6.5
X7500	72"	100	RDC		1000	7.5
X8500	72"	100	RDC		1000	8.5
MAX 6500	73"	100	RDC		1000	6.5
Phoenix Extreme	73"	100	RDC		1200	9.5
SC/5.0	73"	100	RDC		1200	5.0
SC/6.5	73"	100	RDC		1200	6.5
SC/7.5	73"	100	RDC		1200	7.5
SC/8.5	73"	100	RDC		1200	8.5
SC/9.5	73"	100	RDC		1200	9.5
SC/6.5/HO/120W	73"	120	RDC		1200	6.5
X5000	73"	100	RDC		1000	5.0




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
X6500	73"	100	RDC		1000	6.5
X7500	73"	100	RDC		1000	7.5
X8500	73"	100	RDC		1000	8.5
Phoenix Extreme	74"	100	RDC		1200	9.5
SC9.5	74"	100	RDC		1200	9.5
Instant Result Lamps						
Panther/9.5	59"	85	Bi-pin		500	9.5
Phoenix/8.9	59"	85	Bi-pin		1200	8.9
Series II	59"	85	Bi-pin		1500	4.6
SS/BP/3.5	59"	85	Bi-pin		1000	3.5
SS/BP/4.4	59"	85	Bi-pin		1000	4.4
SS/BP/5.5	59"	85	Bi-pin		1000	5.5
Panther/9.5	71"	100	Bi-pin		500	9.5
Phoenix/8.9	71"	100	Bi-pin		1200	8.9
Series II	71"	100	Bi-pin		1500	4.6
SS/BP/3.5	71"	100	Bi-pin		1000	3.5
SS/BP/4.4	71"	100	Bi-pin		1000	4.4
SS/BP/5.5	71"	100	Bi-pin		1000	5.5
Panther/9.5	72"	100	RDC		500	9.5
Phoenix/8.9	72"	100	RDC		1200	8.9
SS/3.5	72"	100	RDC		1000	3.5
SS/4.4	72"	100	RDC		1000	4.4
SS/5.5	72"	100	RDC		1000	5.5
Panther/9.5	73"	100	RDC		500	9.5
Phoenix/8.9	73"	100	RDC		1200	8.9
Series II	73"	100	RDC		1500	4.6
SS73	73"	100	RDC		1000	5.5
SS/5.5	73"	100	RDC		1000	5.5
Panther/9.5	74"	100	RDC		500	9.5
HO Reflector Lamps						
AMAX	18"	Facial	Bi-pin		1200	6.5
SCR/BP/HP9/HO	59"	85	Bi-pin		1000	2.0
Daystar	59"	85	Bi-pin		1000	3.0
Gem-R	59"	85	Bi-pin		1000	3.0
SR/ABS/5.0/HO	59"	85	Bi-pin		1000	5.0
SR/ABS/6.5/HO	59"	85	Bi-pin		1000	6.5
SR/BP/PLUS	59"	85	Bi-pin		1000	1.3
Daystar	71"	100	Bi-pin		1000	3.0
Gem-R	71"	100	Bi-pin		1000	3.0
SCR/BP/HP9/HP	71"	100	Bi-pin		1200	2.0
SCR/BP/9.5/HO	71"	100	Bi-pin		1200	9.5
SR/ABS/4.5/HO	71"	100	Bi-pin		1000	4.5
SR/ABS/5.0/HO	71"	100	Bi-pin		1000	5.0
SR/ABS/6.5/HO	71"	100	Bi-pin		1000	6.5
SR/BP/PLUS	71"	100	Bi-pin		1000	1.3
Gem-R	73"	100	RDC		1000	3.0
SR/ABS/5.0/HO	73"	100	RDC		1000	5.0
SR/ABS/6.5/HO	73"	100	RDC		1000	6.5
SR/ABS/Daystar/HO/120W	79"	120	Bi-pin		1000	3.0
VHO Lamps						
SC/BP/6.5/VHO	59"	140	Bi-pin		1000	6.5
SS/BP/2.6/VHO	59"	140	Bi-pin		400	2.6
SS/BP/X6500/VHO	59"	140	Bi-pin		400	6.5
SC/BP/6.5/VHO	71"	160	Bi-pin		1000	6.5
SS/BP/2.6/VHO	71"	160	Bi-pin		400	2.6
SS/BP/X6500/VHO	71"	160	Bi-pin		400	6.5
SS/BP/X8500/VHO	71"	160	Bi-pin		400	8.5
SC/6.5/VHO	72"	160	RDC		1000	6.5
SC/8.5/VHO	72"	160	RDC		1000	8.5
SS/2.6/VHO	72"	160	RDC		400	2.6
SS/Paragon/VHO	72"	160	RDC		400	6.2
SS/Paragon Plus/VHO	72"	160	RDC		400	6.2
SS/X6500/VHO	72"	160	RDC		400	6.5
SS/X8500/VHO	72"	160	RDC		400	8.5
XC/F72T12/C20/170W	72"	170	RDC		600	6.5
XC/F72T12/XC20/200W	72"	200	RDC		600	6.0
SC/6.5/VHO	73"	160	RDC		1000	6.5
SC/8.5/VHO	73"	160	RDC		1000	8.5
SS/Paragon Plus/VHO	73"	160	RDC		400	6.2
SS/X6500/VHO	73"	160	RDC		400	6.5
SS/X8500/VHO	73"	160	RDC		400	8.5
SC/6.5/VHO	74"	160	RDC		400	6.5
SS/X6500/VHO	74"	160	RDC		400	6.5
VHO Reflector Lamps						
SCR/BP/HP9/VHO	59"	140	Bi-pin		1000	2.0
SR/ABS/6.5/VHO	59"	140	Bi-pin		600	6.5
SR/ABS/Daystar 35/VHO	59"	140	Bi-pin		600	3.5
SR/ABS/Daystar 35N/VHO	59"	140	Bi-pin		600	3.5
SR/BP/ABS/PANTHER	59"	140	Bi-pin		800	9.5
SR/ABS/VHO	59"	140	Bi-pin		600	3.0
SCR/BP/HP9/VHO	71"	160	Bi-pin		1000	2.0
SR/ABS/6.5/VHO	71"	160	Bi-pin		600	6.5
SR/ABS/Daystar 35/VHO	71"	160	Bi-pin		600	3.5
SR/ABS/Daystar 35N/VHO	71"	200	Bi-pin		600	3.5
SR/ABS/Daystar 35N/VHO	71"	160	Bi-pin		600	3.5
SR/BP/ABS/PANTHER	71"	160	Bi-pin		800	9.5
SR/ABS/VHO	71"	160	Bi-pin		600	3.0
XC/FR72T12/CR10/170W	72"	170	RDC		600	8.5
XC/FR72T12/CR20/170W	72"	170	RDC		600	7.0
XC/FR72T12/XCR10/200W	72"	200	RDC		600	7.5
XC/FR72T12/XCR20/200W	72"	200	RDC		600	9.0
SCR/HP9/VHO	73"	160	RDC		1000	2.0
SR/ABS/VHO	73"	160	RDC		600	3.0
SCR/BP/HP9/VHO	79"	160	Bi-pin		1000	2.0
SR/ABS/VHO	79"	200	Bi-pin		600	3.0
INTERNATIONAL TAN MAKERS, INC.						
Original Sun® by Wolff						
Original Sun Flagship R 20 Series	71"	160	Bi-pin	Blue		
Original Sun Flagship R Plus 200 Series	71"	160	Bi-pin	Blue		
Original Sun Flagship R 9VK 240 Series	71"	160	Bi-pin	Blue		
Original Sun Flagship R 100 Series	71"	100	Bi-pin	Blue		
Original Sun Flagship R Plus 200 Series	73"	160	Bi-pin	Blue		
Original Sun Flagship R 200 Series M2	79"	180-200	Bi-pin	Blue		




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Original Sun Flagship R 200 Series M2	59"	140	Bi-pin	Blue		
EuroBronze Magnifier® 7.0 by Wolff						
EuroBronze Magnifier 7.0 Plus	71"	100	Bi-pin	Blue		
EuroBronze Magnifier 7.0 Plus	72"	100	RDC	Blue		
EuroBronze Magnifier 7.0 Plus	73"	100	RDC	Blue		
EuroBronze Magnifier 7.0 Pro	71"	100	Bi-pin	Blue		
EuroBronze Magnifier 7.0 Pro	72"	100	RDC	Blue		
EuroBronze Magnifier 7.0 Pro	73"	100	RDC	Blue		
EuroBronze Magnifier 7.0	59"	80	Bi-pin	Blue		
EuroBronze Magnifier 7.0 Plus VHO	72"	160	RDC	Blue		
EuroBronze Magnifier 7.0 Plus VHO	73"	160	RDC	Blue		
Hi Sun™ Solar Series® by Wolff						
Hi Sun Solar Series 9VK	71"	100	Bi-pin	Blue		
Hi Sun Solar Series 9VK	73"	100	Bi-pin	Blue		
Hi Sun Solar Series 9VK	59"	80	Bi-pin	Blue		
Hi Sun 9VK EuroBronze Magnifier 9 VHO	72"	160	RDC	Blue		
Hi Sun 9VK EuroBronze Magnifier 9 VHO	73"	160	RDC	Blue		
Stardom® Series						
Stardom	F71	100	Bi-pin	Pink		
Stardom	F59	80	Bi-pin	Pink		
Spectra-Glo® Series						
Spectra-Glo	F71	100	Bi-pin	Pink		
Spectra-Glo	F73	100	RDC	Pink		
INTERNATIONAL TANNING EQUIPMENT						
Smart Lamp	72"	160	RDC	Pink, Blue, Pink	500	
Smart Lamp	73"	160	RDC	Pink, Blue, Pink	500	
Smart Lamp	74"	160	RDC	Pink, Blue, Pink	500	
Smart Lamp II Reflector	73"	160	RDC	Pink, Blue, Pink	800	
Smart Lamp II Reflector	74"	200	RDC	Pink, Blue, Pink	800	
Tru Tan	72"	160	RDC	Blue	500	
Tru Tan	73"	160	RDC	Blue	500	
Wolff Solarium	72"	160	RDC	Warm	500	
Wolff Solarium	73"	160	RDC	Warm	500	
Wolff Solarium XLR	73"	160	RDC	Warm	800	
Signature Series Plus	73"	160	RDC	Warm	800	
Also carries a full line of lamps in all wattages and configurations from all major tanning lamp manufacturers.						
KELSUN DISTRIBUTORS						
Lamp brands carried—						
Cosmedico						
Heraeus						
LightSources						
Philips						
SLI—Pure Bronze						
Supra Technologies						
Wolff System						
KLAFSUN						
Meridian 6 Plus	73"	100	RDC	Blue	1000	6+
Meridian 6 Plus	71"	100	Bi-pin	Blue	1000	6+
Meridian 6.5 Plus	59"	80	Bi-pin	Blue	1000	6+
Meridian 7.5	73"	100	RDC	Blue	1000	7+
Meridian 7.5	71"	100	Bi-pin	Blue	1000	7+
Meridian VHO	71"	160	Bi-pin	Blue	800	6+
Meridian VHO Plus	71"	160	Bi-pin	Blue	800	6+
Meridian VHO Plus	59"	140	Bi-pin	Blue	800	6+
Meridian Bronzer	71"	100	Bi-pin	Blue	1000	6+
Meridian Bronzer	73"	100	RDC	Blue	1000	6+
Philips TLK40	24"	40	Bi-pin			
Philips Facial		400	Snap-in			
Philips Facial		400	Wire-lead			
Meridian 6+ Reflector	71"	100	Bi-pin	Blue	1000	6+
Meridian Bronzer Ref.	71"	100	Bi-pin	Blue	1000	6+
LIGHTSOURCES, INC.						
Aurora Morning Sun (2.6)						
F59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
FR59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
FR59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
F71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
F71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
FR71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
FR71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
F72T12/BL/BO	1757mm	100	RDC	Blue	1200	
F72T12/BL/BO/VHO	1757mm	160	RDC	Blue	800	
FR72T12/BL/HO	1757mm	100	RDC	Blue	1200	
FR72T12/BL/VHO	1757mm	160	RDC	Blue	800	
F73T12/BL/HO	1783mm	100	RDC	Blue	1200	
F73T12/BL/VHO	1783mm	160	RDC	Blue	800	
FR73T12/BL/VHO	1783mm	160	RDC	Blue	800	
Aurora Middy Sun (5.0)						
F59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
FR59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
FR59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
F71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
F71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
FR71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
FR71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
F72T12/BL/HO	1757mm	100	RDC	Blue	1200	
F72T12/BL/VHO	1757mm	160	RDC	Blue	800	
FR72T12/BL/HO	1757mm	100	RDC	Blue	1200	
FR72T12/BL/VHO	1757mm	160	RDC	Blue	800	
F73T12/BL/HO	1783mm	100	RDC	Blue	1200	
F73T12/BL/VHO	1783mm	160	RDC	Blue	800	
Aurora Beach Sun (6.5)						
F59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
FR59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
F71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
FR71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
F72T12/BL/BP	1757mm	100	RDC	Blue	1200	
F72T12/BL/VHO	1757mm	160	RDC	Blue	800	
FR72T12/BL/HO	1757mm	100	RDC	Blue	1200	
F73T12/BL/HO	1783mm	100	RDC	Blue	1200	
F73T12/BL/VHO	1783mm	160	RDC	Blue	800	
FR73T12/BL/HO	1783mm	100	RDC	Blue	1200	
Aurora Desert Sun (7.5)						
F59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
F71T12/BL/BP	1762mm	100	Bi-pin	Blue	1200	
F71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
F72T12/BL/HO	1757mm	100	RDC	Blue	1200	
F72T12/BL/VHO	1757mm	160	RDC	Blue	800	
F73T12/BL/HO	1783mm	100	RDC	Blue	1200	
F73T12/BL/VHO	1783mm	160	RDC	Blue	800	
FR73T12/BL/HO	1783mm	100	RDC	Blue	1200	
Aurora Equator Sun (8.5)						
F59T12/BL/BP	1500mm	85	Bi-pin	Blue	1200	
F59T12/BL/BP/VHO	1500mm	140	Bi-pin	Blue	800	
F71T12/BL/BP	1762mm	160	Bi-pin	Blue	800	
FR71T12/BL/BP/VHO	1762mm	160	Bi-pin	Blue	800	
F72T12/BL/HO	1757mm	100	RDC	Blue	1200	
F72T12/BL/VHO	1757mm	160	RDC	Blue	800	
FR72T12/BL/VHO	1757mm	160	RDC	Blue	800	
F73T12/BL/HO	1783mm	100	RDC	Blue	1200	
FR73T12/BL/HO	1783mm	100	RDC	Blue	1200	
Aurora Dual Sun						
F71/Dual Sun	1762mm	100	Bi-pin	Blue/Pink	1200	
F71/Dual Sun XL	1762mm	100	Bi-pin	Blue/Pink	1200	
F73 Dual Sun	1783mm	100	RDC	Blue/Pink	1200	
FR71/Dual Sun "R"	1762mm	100	Bi-pin	Blue/Pink	1200	
FR73/Dual Sun "R"	1783mm	100	RDC	Blue/Pink	1200	
Full Reflector Types						
FR71/Dual Sun XL	1762mm	100	Bi-pin	Blue/Pink	1200	
Partial Reflector Types						
FP71 Dual Sun	1762mm	100	Bi-pin	Blue/Pink	1200	
Signature Series						
FR59V/HOR	1500mm	140	Bi-pin	Blue	1000	
FR71V/HOR	1762mm	160	Bi-pin	Blue	1000	
FR73V/HOR	1783mm	160	RDC	Blue	1000	
FR73T12V/HOR/RS	1783mm	160	RDC	Blue	1000	
FR59/HOR	1500mm	85	Bi-pin	Blue	1200	
FR71/HOR	1762mm	100	Bi-pin	Blue	1200	
FR73/HOR	1783mm	100	RDC	Blue	1200	
FR71T12V/HOR	1762mm	170	Bi-pin	Blue	1000	
FR71T12V/HOR	1762mm	200	Bi-pin	Blue	1000	
FR78T12V/HOR	2000mm	160	Bi-pin	Blue	1000	
Signature Series Plus Types						
FR59T12V/HOR	1500mm	140	Bi-pin	Blue	1000	
FR71T12V/HOR	1762mm	160	Bi-pin	Blue	1000	
FR73T12V/HOR	1783mm	160	RDC	Blue	1000	
FR59T12/HOR	1500mm	85	Bi-pin	Blue	1200	
FR71T12/HOR	1762mm	100	Bi-pin	Blue	1200	
FR73T12/HOR	1783mm	100	RDC	Blue	1200	
FR73T12V/HOR/RS	1783mm	160	RDC	Blue	1000	
Signature Series HP ('A' Power) Types						
FR59T12V/HOR	1500mm	140	Bi-pin	Blue	1000	
FR71T12V/HOR	1762mm	160	Bi-pin	Blue	1000	
FR73T12V/HOR	1783mm	160	RDC	Blue	1000	
FR71T12/HOR	1762mm	100	Bi-pin	Blue	1200	
FR1900T12V/HOR	1900mm	200	Bi-pin	Blue	1000	
FR78T12V/HOR	2000mm	180	Bi-pin	Blue	1000	
CCT						
FR71T12V/HOR	1762mm	160	Bi-pin	Blue	1200	
FR73T12V/HOR	1783mm	160	RDC	Blue	1200	
CCT PLUS						
FR71T12V/HOR	1762mm	160	Bi-pin	Blue	1200	
FR73T12V/HOR	1783mm	160	RDC	Blue	1200	
Sun Twist						
F71T12/HO	1762mm	100	Bi-pin	Blue	1000	
Cheetah						
F59T12/HO	1500mm	80	Bi-pin	Blue	1000	
F71T12/HO	1762mm	100	Bi-pin	Blue	1000	
F73T12/HO	1783mm	100	Bi-pin	Blue	1000	
Select						
F71T12/HO	1762mm	100	Bi-pin	Blue	1000	
FR71T12/HO	1762mm	100	Bi-pin	Blue	1000	
Sol Glass						
F71T12V/HOR	1762mm	160	Bi-pin	Blue		
F1900T12V/HOR	1900mm	200	Bi-pin	Blue		
F78T12V/HOR	2000mm	180/200	Bi-pin	Blue		




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
PC MARKETING						
Wolff						
Beauty Sun	21"	25	Bi-pin	Blue	1000	
Bellarium S	F71	100	Bi-pin	Pink	1000	
Bellarium S	F73	100	RDC	Pink	1000	
Bellarium SR	F71	160	Bi-pin	Blue	800	
Bronzing Sun	F59	80	Bi-pin	Blue	1000	
Bronzing Sun	F71	100	Bi-pin	Blue	1000	
Bronzing Sun	F73	100	RDC	Blue	1000	
Bronzing Sun	FR 71	100	Bi-pin	Blue	800	
Bronzing Sun	FR 73	100	RDC	Blue	800	
Bronzing Sun VHO	F71	160	Bi-pin	Blue	1000	
Bronzing Sun VSR	FR59	140	Bi-pin	Blue	800	
Bronzing Sun VSR	FR71	160	Bi-pin	Blue	800	
Bronzing Sun VSR	FR73	160	Bi-pin	Blue	800	
Bronzing Sun VSR	FR79(2.0M)	180	Bi-pin	Blue	800	
Bronzing Sun Gold VSR	FR71	200	Bi-pin	Blue	800	
Bronzing Sun Gold	FR79(2.0M)	180	Bi-Pin	Blue	800	
Bronzing Sun Elite VSR	FR59	140	Bi-pin	Blue	800	
Bronzing Sun Elite VSR	FR71	160	Bi-pin	Blue	800	
Bronzing Sun Elite VSR	FR73	160	RDC	Blue	800	
Bronzing Sun Mag	FR71	100	Bi-pin	Blue	800	
Bronzing Sun Plus	F71	100	Bi-pin	Blue	1000	
Bronzing Sun Plus	FR71	100	Bi-pin	Blue	800	
Bronzing Sun Plus	FR71	160	Bi-pin	Blue	800	
Bronzing Sun Plus VSR	FR73	160	RDC	Blue	800	
Bronzing Sun HPK90	FR71	160	Bi-pin	Blue	1000	
Crystal Sun S	F71	100	Bi-pin	Pink	1000	
Dark Tan	F71	100	Bi-pin	Blue	600	
Dark Tan	F73	100	RDC	Blue	600	
Dark Tan Plus	F71	100	Bi-pin	Blue	600	
Dark Tan Plus	F73	100	RDC	Blue	600	
Dark Tan Elite	F71	100	Bi-pin	Blue	600	
Dark Tan Elite	F73	100	RDC	Blue	600	
Dominion	F71	100	Bi-pin	Pink	1000	
Dominion	F73	100	RDC	Pink	1000	
EuroSun S3	F71	100	Bi-pin	Pink	1500	
EuroSun S3	F73	100	RDC	Pink	1500	
Everglo	F59	80	Bi-pin	Warm-tone	1000	
Everglo	F71	100	Bi-pin	Warm-tone	1000	
Everglo	F73	100	RDC	Warm-tone	1000	
Solarium VHO	F72	160	RDC	Pink	800	
Solarium VHO	F73	160	RDC	Pink	800	
Solarium XLR	F72	160	RDC	Pink	800	
Solarium XLR	F73	160	RDC	Pink	800	
Turbo Sun Face Tanner	F12	10	Bi-Pin	Blue	500	
Velocity	F59	80	Bi-pin	Blue	1000	
Velocity	F71	100	Bi-pin	Blue	1000	
Velocity	F73	100	RDC	Blue	1000	
Velocity Plus	F71	100	Bi-pin	Blue	1000	
Velocity Plus	F73	100	RDC	Blue	1000	
Velocity Extreme	F71	100	Bi-pin	Blue	1000	
Velocity Extreme	F73	100	Bi-pin	Blue	1000	
Cosmedico						
CosmoLux ESP	F71	100	Bi-pin	Blue	800	
CosmoLux ESP	F73	100	RDC	Blue	800	
CosmoLux ESP/R	F59	80	Bi-pin	Blue	800	
CosmoLux ESP/R	F71	100	Bi-pin	Blue	800	
CosmoLux ESP/R	FR73	100	RDC	Blue	800	
CosmoLux LRS/RS Reflector	FR21	25	Bi-pin	Blue	800	
CosmoLux RA Plus	F24	40	Bi-pin	Blue	500	
CosmoLux RA Plus	F59	80	Bi-pin	Blue	500	
CosmoLux RA Plus	F71	100	Bi-pin	Blue	500	
CosmoLux Short LS	F18	25	Bi-pin	Blue	800	
CosmoLux Short LSR	FR18	25	Bi-pin	Blue	800	
CosmoLux UVA Plus	F12	15	Bi-pin	Blue	500	
CosmoLux UVA Plus	F21	25	Bi-pin	Blue	300	
CosmoLux UVA Plus	F59	80	Bi-pin	Blue	500	
CosmoLux UVA Plus	F71	100	Bi-pin	Blue	500	
CosmoLux VHO	F59	140	Bi-pin	Blue	800	
CosmoLux VHO	F71	160	Bi-pin	Blue	800	
CosmoLux VHR	FR59	140	Bi-pin	Blue	800	
CosmoLux VHR	FR71	160	Bi-pin	Blue	800	
CosmoLux VHR 2M	FR79(2.0M)	180	Bi-pin	Blue	800	
CosmoLux VHR TT	FR59	140	Bi-pin	Blue	800	
CosmoLux VHR TT	FR71	160	Bi-pin	Blue	800	
CosmoLux VHR TT	FR73	160	RDC	Blue	800	
CosmoLux VHR 9K90	FR71	160	Bi-pin	Blue	1000+	
CosmoLux VHR 9K90	FR79(2.0M)	180	Bi-pin	Blue	1000+	
CosmoLux VLR	FR59	80	Bi-pin	Blue	800	
CosmoLux VLR	FR71	100	Bi-pin	Blue	800	
CosmoLux VLR 200	FR79(2.0M)	120	Bi-pin	Blue	800	
CosmoLux VLR 9K90	FR71	100	Bi-pin	Blue	1000+	
CosmoLux VLR TT	FR59	80	Bi-pin	Blue	800	
CosmoLux VLR TT	FR71	100	Bi-pin	Blue	800	
CosmoLux GSP 9K90	F71	100	Bi-pin	Blue	1000+	
CosmoStar Long Life	F59	80	Bi-pin	Blue	1000	
CosmoStar Long Life	F71	100	Bi-pin	Blue	1000	
Cosmosun 515	F59	80	Bi-pin	Blue	500	
Cosmosun 515	F71	100	Bi-pin	Blue	500	
Cosmosun 515	F73	100	RDC	Blue	500	
Cosmosun 520	F59	80	Bi-pin	Blue	500	
Cosmosun 520	F71	100	Bi-pin	Blue	500	
Cosmosun 520	F73	100	RDC	Blue	500	
Goldarium SR	FR59	80	Bi-pin	Blue	1000	
Goldarium SR	FR71	100	Bi-pin	Blue	1000	
Goldarium SP	F59	80	Bi-pin	Blue	1000	
Goldarium SP	F71	100	Bi-pin	Blue	1000	
Goldarium SP	F73	100	RDC	Blue	1000	
Hi-Tan 10 Minute	F59	80	Bi-pin	Blue	600	
Hi-Tan 10 Minute	F71	100	Bi-pin	Blue	800	
Hi-Tan 10 Minute	F73	100	RDC	Blue	800	
Hi-Tan VHO	F72	160	RDC	Blue	800	
Hi-Tan VHO	F73	160	RDC	Blue	800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
PC Marketing Lamps by Cosmedico						
Eternal Sun XP Gold	F71	100	Bi-pin	Blue	800	
Eternal Sun XP Gold	F73	100	RDC	Blue	800	
Eternal Sun XP*R	FR71	100	Bi-pin	Blue	800	
Eternal Sun XP*R	FR71	160	Bi-pin	Blue	800	
Eternal Sun XP*R	FR72	160	Bi-pin	Blue	800	
Eternal Sun XP*R 2.0M	FR79(2.0M)	180-200	Bi-pin	Blue	800	
Eternal Sun XP*R 9K90	FR71	160	Bi-pin	Blue	800	
Eternal Sun XP*R 9K90 2.0M	FR79(2.0M)	180-200	Bi-pin	Blue	800	
Eternal Sun XPFT	F73	100	RDC	Blue	800	
Eternal Sun XPFT	F71	100	Bi-pin	Blue	800	
PC Marketing Lamps by Wolff						
Eternal Sun EX	F71	100	Bi-pin	Blue	1000	
Eternal Sun EX	F73	100	RDC	Blue	1000	
Eternal Sun SX	F71	100	Bi-pin	Blue	1000	
Eternal Sun SX	F73	100	RDC	Blue	1000	
Eternal Sun UXR	FR71	160	Bi-pin	Blue	1000	
Voltarc Lamps						
Voltarc GTX 2.0M	F79 (2.0M)	200	Bi-pin	Blue	800	
Voltarc GTX	F73	120	RDC	Blue	800	
Voltarc 5.0 VHO	FR72	160	RDC	Blue	800	
Voltarc GTX 2.6	FR71	100	Bi-pin	Blue	800	
Voltarc GTX 8.5	F72	100	Bi-pin	Blue	800	
Voltarc GTX 5.0	F72	160	Bi-pin	Blue	800	
California Tan Helio® Collection						
Non-Reflector						
Helio 5.0	F71	100	Bi-pin	Blue	800	
Helio 5.0	F71	160	Bi-pin	Blue	800	
Helio 6.5	F71	100	Bi-pin	Blue	800	
Helio 8.5	F71	100	Bi-pin	Blue	800	
Helio 5.0	F73	100	RDC	Blue	800	
Helio 6.5	F73	100	RDC	Blue	800	
Helio 8.5	F73	100	RDC	Blue	800	
Reflector						
Helio 5.0	F71	100	Bi-pin	Blue	800	
Helio 6.5	F71	100	Bi-pin	Blue	800	
Helio 5.0	F73	100	RDC	Blue	800	
Helio 5.0	F73	160	RDC	Blue	800	
Helio 6.5	F73	100	RDC	Blue	800	
Double-Action						
Helio Double-Action 5.0	F71	100	Bi-pin	Blue	800	
HelioPulse® Collection						
Reflector						
HelioPulse 3.5	F59	140	Bi-pin	Blue	1000	
HelioPulse 2.6	F71	100	Bi-pin	Blue	1000	
HelioPulse 2.6	F71	160	Bi-pin	Blue	1000	
HelioPulse 3.5	F71	100	Bi-pin	Blue	1000	
HelioPulse 3.5	F71	160	RDC	Blue	1000	
HelioPulse 2.6	F73	100	RDC	Blue	1000	
HelioPulse 3.5	F73	160	RDC	Blue	1000	
HelioPulse 3.5	F78	180	RDC	Blue	1000	
High Pressure						
California Tan HelioPulse		400	Double-end clip		1000	
California Tan HelioPulse		500	Single-end		1000	
California Tan HelioPulse		1000	Wire-lead		1000	
California Tan HelioPulse		1000	Single-end		1000	
California Tan HelioPulse		2000	Wire-lead		1000	
Cosmedico Ariana		1000	Wire-lead		750	
Heraeus		1000	Plug-in		400	
Heraeus		400+	Clip-in		400	
Heraeus		1000+	Plug-in		400	
Heraeus		800	Clip-in		400	
Heraeus PowerSpot		250	Vertical plug-in		400	
Heraeus		1000	Vertical plug-in		400	
Heraeus ORB		1000	Wire-lead		400	
Heraeus MAT		1000	Wire-lead		400	
Heraeus		1000	Wire-lead		400	
Heraeus		1000+	Vertical plug-in		400	
Heraeus		1200	Wire-lead		400	
Heraeus 230v		2000	Wire-lead		400	
Heraeus 380v		2000	Wire-lead		400	
Heraeus		300/500	Plug-in		400	
Heraeus OHC		400	Clip-in		400	
Heraeus E-HPT		400	Clip-in		400	
Heraeus OHM		400	Clip-in		400	
Heraeus		400	Vertical plug-in		400	
Heraeus		400+	Clip-in		400	
Heraeus		500/1000	Plug-in		400	
Heraeus		500	Clip-in		400	
Heraeus		500	Plug-in		400	
Heraeus		500	Wire-lead		400	
Heraeus		600	Wire-lead		400	
Heraeus		600	Vertical plug-in		400	
Heraeus		800	Vertical plug-in		400	
High Pressure Plug-in		500	Plug-in		400	
High Pressure Plug-in		630	Plug-in		400	
Wire-lead 220V		1000	Wire-lead		400	
Wire-lead 220V		400	Wire-lead		400	
Wire-lead 220V		2000	Wire-lead		400	
Wire-lead 380V		2000	Wire-lead		400	
Wire-lead 230V		1510	Plug-in		400	
Wire-lead 220V		610/650	Plug-in		400	
Wolff SuperCrystal		400	Clip-in		800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
PHILIPS LIGHTING CO.						
Low-Pressure Lamps						
USA Series						
Consistency 3.3% UVB equivalent						
Advantage Max 8.0% UVB equivalent						
Advantage 808 6.5% UVB						
Advantage 5.7% UVB						
Swift HP 3.3 UVB equivalent						
Swift 3.3% UVB						
Euro Series						
Professional S						
Professional						
Performance						
TL176D/10						
High-Pressure Facials						
Double-ended wire-lead						
HPA 700SC						
HPA 1200S 1000/220v						
HPA 1200 (long base) 1000/220v						
HPA 1220 1000/380v						
HPA 2020S 2000/380v						
HPA 2040 2000/220v						
HPA 700S Clip-in						
Single-ended						
HPA 1010SE 1000/220v						
HPA 1040SE (key) 1000/220v						
High-output 400W replacement						
HPA 250-500 SD Clip-in						
HPA 250-500 SDC Wire-lead						
HPA 250-500 SE Single-ended						
HPA 400/30S L (large diameter) Clip-in						
HPA 400/30SD L (small diameter) Clip-in						
HPA 400SE Single-ended						
HPA 400SDC Cable						
HPA 400SC Cable						
PROTECH—Lamps by PROSUN						
ProTech Professional						
Dual FT UVA 100 watt	71"	100	Bi-pin	Blue/Pink	1000	
Dual AT UVA 100 watt	71"	100	Bi-pin	Blue/Pink	1000	
UVA 100 watt	71"	100	Bi-pin	Blue	1000	
ProTech Intensive						
R-UVA 80 watt	59"	80	Bi-pin	Blue	800	
R-UVA 100 watt	71"	100	Bi-pin	Blue	800	
Dual XL R-UVA 120 watt	79"	120	Bi-pin	Blue/Pink	800	
Dual R-UVA 110 watt	71"	110	Bi-pin	Blue	800	
ProTech High Intensive						
R-UVA 160 watt	71"	160	Bi-pin	Blue	800	
ProTech SoftPower						
UVA 25 watt	21"	25	Bi-pin	Blue	1000	
R-UVA 25 CGN (skin rejuv.)	21"	25	Bi-pin	Red	800	
ProTech Twist High Intensive						
Dual XL R-UVA 180 watt	79"	180	Bi-pin	Blue/Pink	800	
ProTech Facial						
HPA 400 watt	4"	400	Bi-pin	Blue	800	
PURETAN						
1000W facial w/leads		1000			500	
2000W facial w/leads		2000			500	
400W facial w/leads		400			500	
400W facial w/o leads		400			500	
F59 Puretán 2.6	59"	100	Bi-pin/RDC	Blue	1000	2.6
F59 Puretán S+	59"	100	Bi-pin/RDC	Blue	1000	5.0
F59 Puretán VHO/R+	59"	160	Bi-pin/RDC	Blue	650	5.0
F59 Puretán R+	59"	100	Bi-pin/RDC	Blue	800	5.0
F71 Puretán SF+	71"	100	Bi-pin	Blue/Pink	1000	5.0
F71 Puretán 2.6	71"	100	Bi-pin	Blue	1000	5.0
F71 Puretán S+	71"	100	Bi-pin	Blue	1000	5.0
F71 Puretán SX	71"	100	Bi-pin	Blue	650	7.5
F71 Puretán Spectralarium R+	71"	100	Bi-pin	Blue	800	5.0
F72 Puretán Miami	72"	100	RDC	Blue	1000	5.0
F73 Puretán 2.6	73"	100	RDC	Blue	1000	2.6
F73 Puretán SX	73"	100	RDC	Blue	650	7.5
F73 Puretán VHO/R+	73"	160	RDC	Blue/Pink	650	5.0
F73 Puretán VHO/RF+	73"	160	RDC	Blue/Pink	650	5.0
F73 Puretán SS VHO	73"	160	RDC	Blue	650	5.0
F73 Puretán Miami	73"	100	RDC	Blue	1000	5.0
F73 Puretán Spectralarium SF+	73"	100	RDC	Blue/Pink	900	5.0
F73 Puretán Spectralarium R+	73"	100	RDC	Blue	800	5.0
F73 Puretán S+	73"	100	RDC	Blue	1000	5.0
ROYAL SUN						
RoyalSun VHR 2 meter	79"	180	Bi-pin	Blue	800	3.0
RoyalSun VHR TT	71"	160	Bi-pin	Blue	800	3.0
RoyalSun VLR TT	71"	100	Bi-pin	Blue	800	3.0
RoyalSun Cosmostar TT	71"	100	Bi-pin	Blue	1000	5.0
RoyalSun 500	4.2"	500	Clip-in		800	
RoyalSun 400	4.2"	500	Clip-in		800	
Focus 5000	71"	100	Bi-pin	Blue	1000	5.5/3.0
Focus 5000 Dual	71"	100	Bi-pin	Blue/Pink	1000	5.5/3.0
Focus 3300 HOR	71"	100	Bi-pin	Blue	1000	3.3
Focus 3300 HOR Dual	71"	100	Bi-pin	Blue/Pink	1000	3.3
Focus 3300 VHOR	71"	160	Bi-pin	Blue	800	3.3
Focus 3300 VHOR Dual	71"	160	Bi-pin	Blue/Pink	800	3.3
Focus 3300 VHOR Dual Swirl	71"	160	Bi-pin	Blue/Pink	800	3.3
Focus 3300 VHOR Dual Swirl	79"	200	Bi-pin	Blue/Pink	800	3.3




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Focus 3300 VHOR	59"	140	Bi-pin	Blue	1200	1.0
Focus 900 HPS	59"	100	Bi-pin	Blue	1200	1.0
Focus 900 HPS	71"	160	Bi-pin	Blue	1200	1.0
Focus 900 HPS	79"	200	Bi-pin	Blue	1200	1.0
Varius Sun		500	plug-in		1500	10
SMI SONTEGRA						
CosmoLux VHR	71"	160	Bi-pin	Blue	800	
CosmoLux VHR 200	79"	180	Bi-pin	Blue	800	
CosmoLux VLR	71"	100	Bi-pin	Blue	800	
CosmoLux VHO 160	71"	160	Bi-pin	Blue	800	
CosmoLux ESP	71"	100	Bi-pin	Blue	800	
CosmoLux Goldarium SP	71"	100	Bi-pin	Blue	1000	
CosmoLux Goldarium SP	59"	80	Bi-pin	Blue	1000	
CosmoLux 25WLS	24"	25	Bi-pin	Blue	800	
CosmoLux 9K90	71"	160	Bi-pin	Blue	1100	
CosmoLux 9K90	79"	180	Bi-pin	Blue	1100	
SOLTRON (see Global Sun Light)						
SPERTI						
Sperti Facial Lamp UV-93	4.25"	800	Bi-pin	White	175	30
SPORTARREDO USA, INC.						
Kalfasun RUVA B14S		80	Bi-pin	Blue	600	2.6
Kalfasun RUVA B14S		100	Bi-pin	Blue	600	2.6
Kalfasun RUVA B14S Rapid		140	Bi-pin	Blue	600	2.6
Kalfasun RUVA B17S		160	Bi-pin	Blue	600	2.8
Kalfasun High Pressure 1510F		1500	Clip-in		800	
Kalfasun High Pressure 610F		600	Clip-in		500	
Kalfasun High Pressure 630F		600	Clip-in		600	
Kalfasun High Pressure 1400		1400	Wire-lead		800	
Kalfasun High Pressure 1530F		1500	Clip-in		800	
Kalfasun High Pressure 2300		2300	Wire-lead		800	
Kalfasun RUVA B23S		80	Bi-pin	White	600	3.8
Kalfasun RUVA B23S		100	Bi-pin	White	600	3.8
Kalfasun RUVA B23S		140	Bi-pin	White	600	3.8
Kalfasun RUVA B23S		160	Bi-pin	White	600	3.8
Kalfasun RUVA B17L Rapid		160	Bi-pin	Blue	600	2.8
Kalfasun RUVA B22L Green		160	Bi-pin	Green	600	2.8
SUN ERGOLINE (see Global Sun Light)						
SUNFIT LIGHTING						
S+ 25W	20"	25	Bi-pin	Blue	800	4.2
X+ 80W	59"	80	Bi-pin	Blue	800	4.2
X+ 100W	71"	100	Bi-pin	Blue	800	4.2
MAX 100W	71"	100	Bi-pin	Blue	800	7.0
RX+ 80W	59"	80	Bi-pin	Blue	800	4.2
RX+ 100W	71"	100	Bi-pin	Blue	800	4.2
VX+ 160W	71"	160	Bi-pin	Blue	800	5.0
VX+ 180W	1.9 meters	180	Bi-pin	Blue	800	5.0
VRX+ 140W	59"	140	Bi-pin	Blue	800	5.0
VRX+ 160W	71"	160	Bi-pin	Blue	800	5.0
XL+ 180W	1.9 meters	180	Bi-pin	Blue	800	5.0
XXL+ 180W	2 meters	180	Bi-pin	Blue	800	5.0
Long-mount						
VRX Premium 160W	71"	160	Bi-pin	Blue	1000	5.0
XXL Premium 200W	2 meters	200	Bi-pin	Blue	1000	5.0
Specials						
XL+ 120W	1.9 meters	120	Bi-pin	Blue	800	4.2
XL+ 120W Duo Color	1.9 meters	120	Bi-pin	Blue/Pink	800	4.2/6.0
Facials						
RS 500W-220v		500	Wire-lead	White	800	
RS 1500W-220v		1500	Wire-lead	White	800	
RS 2000W-220v		2000	Wire-lead	White	800	
SUPRA TECHNOLOGIES LLC						
The Supra® Collection						
Supra® Q-03520PIJK		300-520/230v	Plug-in GY9.5		800	
Supra® Q-04500SI		400-500/230v	Snap-in R7s		800	
Supra® Q-04500WL		400-500/230v	Wire-lead		800	
Supra® Q-0600PIGY		600/230v	Plug-in GY9.5		800	
Supra® Q-0600PIGH		600/230v	Plug-in GYH9.5		800	
Supra® Q-0600WL		600/230v	Wire-lead		800	
Supra® Q-0610LWL		610/230v	Wire-lead		800	
Supra® Q-06620BL		620/230v	Dual blade		800	
Supra® Q-06630R		630/230v	Dual round-pin		800	
Supra® Q-08100PIGY		800-1000/230v	Plug-in GY9.5		800	
Supra® Q-08100PIGH		800-1000/230v	Plug-in GYH9.5		800	
Supra® Q-0800SI		800/230v	Snap-in R7s		800	
Supra® Q-08100PIX		800-1000/230v	Plug-in GYX9.5		800	
Supra® Q-08100WL		800-1000/230v	Wire-lead		600	
Supra® Q-01400WL		1000-1400/230v	Wire-lead		600	
Supra® Q-1400LWL		1000-1400/230v	Long/Wire-lead		600	
Supra® Q-1400WL4		1000-1400/400v	Wire-lead		600	
Supra® Q-01510BL		1450-1510/230v	Dual blade		600	
Supra® Q-01530R		1450-1530/230v	Dual round-pin		600	
Supra® Q-2400WL4		2000-2400/400v	Wire-lead		600	
Supra® Q-2400LWL4		2000-2400/400v	Long/Wire-lead		600	
The Sunshine Vitamine®						
F-1000 VITD3® RDC	72"	100	RDC		800	
F-1000 VITD3®+ RDC	73"	100	RDC Refl.		800	
F-1000 VITD3® BP-R	6'	100	Bi-pin Refl.		1000	
F-1400 VITD3® BP-R	5'	140	Bi-pin Refl.		1000	
F-1600 VITD3® BP-R	6'	160	Bi-pin Refl.		1000	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
TAN SOURCE SUPPLY, INC.						
Source Lamp		1000-1200	Wire-lead	White	1000	
ULTRABRONZ						
Heraeus 380v		1000	Wire-lead		500	
Heraeus 220v		1000	Plug-in		500	
Phillips 220v		700	Snap-in		500	
Phillips 220v		1000	Plug-in		500	
Sunx2 380v		1000	Wire-lead		500	
Sunx2 220v		1000	Plug-in		500	
ULTRAVIOLET RESOURCES INTERNATIONAL						
LightSources, Inc.						
Aurora Sunrise						
FR71T12BL/BP	71"	100	Bi-pin	Blue	1000	1.2
Aurora Morning Sun						
F59T12BL/BP/2.6	59"	80	Bi-pin	Blue	1200	2.6
F71T12BL/BP/2.6	71"	100	Bi-pin	Blue	1200	2.6
F72T12BL/HO/2.6	72"	100	RDC	Blue	1200	2.6
F73T12BL/HO/2.6	73"	100	RDC	Blue	1200	2.6
F71T12BL/VHO/2.6	71"	160	Bi-pin	Blue	800	2.6
FR59T12BL/BP/2.6	59"	80	Bi-pin	Blue	1000	2.6
FR71T12BL/BP/2.6	71"	100	Bi-pin	Blue	1000	2.6
FR73T12BL/HO/2.6	73"	100	RDC	Blue	1000	2.6
FR71T12BL/VHO/2.6	71"	160	Bi-pin	Blue	800	2.6
Aurora Middy Sun						
F59T12BL/BP/5.0	59"	80	Bi-pin	Blue	1200	5.0
F71T12BL/BP/5.0	71"	100	Bi-pin	Blue	1200	5.0
F72T12BL/HO/5.0	72"	100	RDC	Blue	1200	5.0
F73T12BL/HO/5.0	73"	100	RDC	Blue	1200	5.0
FR59T12BL/BP/5.0	59"	80	Bi-pin	Blue	1000	5.0
FR71T12BL/BP/5.0	71"	100	Bi-pin	Blue	1000	5.0
FR73T12BL/HO/5.0	73"	100	RDC	Blue	1000	5.0
F59T12BL/VHO/5.0	59"	140	Bi-pin	Blue	800	5.0
F71T12BL/VHO/5.0	71"	160	Bi-pin	Blue	800	5.0
F72T12BL/VHO/5.0	72"	160	RDC	Blue	800	5.0
F73T12BL/VHO/5.0	73"	160	RDC	Blue	800	5.0
FR59T12BL/VHO/5.0	59"	140	Bi-pin	Blue	800	5.0
FR71T12BL/VHO/5.0	71"	160	Bi-pin	Blue	800	5.0
FR72T12BL/VHO/5.0	72"	160	RDC	Blue	800	5.0
FR73T12BL/VHO/5.0	73"	160	RDC	Blue	800	5.0
Aurora Beach Sun						
F59T12BL/BP/6.5	59"	80	Bi-pin	Blue	1200	6.5
F60T12BL/HO/6.5	60"	80	RDC	Blue	1000	6.5
F71T12BL/BP/6.5	71"	100	Bi-pin	Blue	1200	6.5
F72T12BL/HO/6.5	72"	100	RDC	Blue	1200	6.5
F73T12BL/HO/6.5	73"	100	RDC	Blue	1200	6.5
FR59T12BL/BP/6.5	59"	80	Bi-pin	Blue	1000	6.5
FR71T12BL/BP/6.5	71"	100	Bi-pin	Blue	1000	6.5
FR73T12BL/HO/6.5	73"	100	RDC	Blue	1000	6.5
F59T12BL/VHO/6.5	59"	140	Bi-pin	Blue	800	6.5
F71T12BL/VHO/6.5	71"	160	Bi-pin	Blue	800	6.5
F72T12BL/VHO/6.5	72"	160	RDC	Blue	800	6.5
F73T12BL/VHO/6.5	73"	160	RDC	Blue	800	6.5
FR59T12BL/VHO/6.5	59"	140	Bi-pin	Blue	800	6.5
FR71T12BL/VHO/6.5	71"	160	Bi-pin	Blue	800	6.5
FR73T12BL/VHO/6.5	73"	160	RDC	Blue	800	6.5
F73/Aurora Gold 120W	73"	120	RDC	Blue	1200	6.5
Aurora Dual Sun						
F71T12BL/BP	71"	100	Bi-pin	Pink/Blue	1200	5.0/6.5
F73T12BL/HO	73"	100	RDC	Pink/Blue	1200	5.0/6.5
F71T12BL/BP XL	71"	100	Bi-pin	Pink/Blue	1200	5.0/6.5
FR71T12BL/BP	71"	100	Bi-pin	Pink/Blue	1000	5.0/6.5
FR73T12BL/HO	73"	100	RDC	Pink/Blue	1000	5.0/6.5
Aurora Desert Sun						
F59T12BL/BP/7.5	59"	80	Bi-pin	Blue	1200	7.5
F71T12BL/BP/7.5	71"	100	Bi-pin	Blue	1200	7.5
F72T12BL/HO/7.5	72"	100	RDC	Blue	1200	7.5
F73T12BL/HO/7.5	73"	100	RDC	Blue	1200	7.5
FR71T12BL/BP/7.5	71"	100	Bi-pin	Blue	1000	7.5
F72T12BL/VHO/7.5	72"	160	RDC	Blue	800	7.5
F73T12BL/VHO/7.5	73"	160	RDC	Blue	800	7.5
Aurora Equator Sun						
F59T12BL/BP/8.5	59"	80	Bi-pin	Blue	1200	8.5
F71T12BL/BP/8.5 XL	71"	100	Bi-pin	Blue	1200	8.5
F72T12BL/HO/8.5	72"	100	RDC	Blue	1200	8.5
F73T12BL/HO/8.5 XL	73"	100	RDC	Blue	1200	8.5
F74T12BL/HO/8.5	74"	100	RDC	Blue	1000	8.5
F71T12BL/VHO/8.5	71"	160	Bi-pin	Blue	800	8.5
F72T12BL/VHO/8.5	72"	160	RDC	Blue	800	8.5
F73T12BL/VHO/8.5	73"	160	RDC	Blue	800	8.5
Select Series						
F71T12BL/BP	71"	100	Bi-pin	Blue	1000	4.2
FR71T12BL/BP	71"	100	Bi-pin	Blue	1000	3.5
CCT						
FR71T12BL/VHO	71"	160	Bi-pin	Blue	800	2.6
FR73T12BL/VHO	73"	160	RDC	Blue	800	2.6
FR71T12BL/VHO PLUS	71"	160	Bi-pin	Blue	800	3.5
FR73T12BL/VHO PLUS	73"	160	RDC	Blue	800	3.5
Soft Facial						
FR18T8 BL BP	24"	25-40	Bi-pin	Blue	800	
FR21T5 BL BP	21"	25	Bi-pin	Blue	800	
F21T5 BL BP	21"	25	Bi-pin	Blue	800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Signature Series						
FR59T12BL/BP	59"	80	Bi-pin	Blue	1200	2.6
FR71T12BL/BP	71"	100	Bi-pin	Blue	1200	2.6
FR73T12BL/HO	73"	100	RDC	Blue	1200	2.6
FR78T12BL/BP 120W 2M	79"	120	Bi-pin	Blue	1000	2.6
F71T12BL/VHO	71"	160	Bi-pin	Blue	800	2.6
FR59T12BL/VHO	59"	140	Bi-pin	Blue	800	2.6
FR71T12BL/VHO	71"	160	Bi-pin	Blue	800	2.6
FR73T12BL/VHO	73"	160	RDC	Blue	800	2.6
FR74T12BL/VHO	74"	165	RDC	Blue	800	2.6
FR71T12BL/VHO Dual Sun	71"	160	Bi-pin	Blue/Pink	800	2.6
FR71T12BL/VHO 200W	71"	200	Bi-pin	Blue	800	2.6
FR71T12BL/VHO/RDC	71"	160	Bi-pin	Blue	800	2.6
FR78T12/BL/VHO 2M	79"	180-200	Bi-pin	Blue	800	2.6
Signature Series Plus						
FR71T12BL/BP Plus	71"	100	Bi-pin	Blue	1200	3.5
FR73T12BL/BP Plus	73"	100	RDC	Blue	1200	3.5
FR59T12BL/VHO Plus	59"	140	Bi-pin	Blue	800	3.5
FR71T12BL/VHO Plus	71"	160	Bi-pin	Blue	800	3.5
FR71T12BL/VHO Plus RDC	71"	160	Bi-pin	Blue	800	3.5
FR72T12BL/VHO Plus	72"	160	RDC	Blue	800	3.5
FR73T12BL/VHO Plus	73"	160	RDC	Blue	800	3.5
FR78T12/BL/VHO Plus 2M	79"	180-200	Bi-pin	Blue	800	3.5
Signature Series HP w/ A Line Technology						
F71T12/BL/BP HP	71"	100	Bi-pin	Blue	1200	2.8
FR71T12BL/BP HP	71"	100	Bi-pin	Blue	1200	2.8
FR59T12BL/VHO HP	59"	140	Bi-pin	Blue	1000	2.8
FR71T12BL/VHO HP	71"	160	Bi-pin	Blue	1000	2.8
FR73T12BL/VHO HP	73"	160	RDC	Blue	1000	2.8
FR75T12BL/VHO 1.9M	75"	220	Bi-pin	Blue	800	2.8
FR78T12BL/VHO HP	79"	180-200	Bi-pin	Blue	1000	2.8
Signature Series SGT w/ Sol Glass Technology						
FR71T12/BL/BP VHOR	71"	160	Bi-pin	Blue	1200+	
FR78T12/BL/BP VHOR	79"	180-200	Bi-pin	Blue	1200+	
California Tan						
Helio™ Collection						
Helio F71/5.0 (1595)	71"	100	Bi-pin	Blue	1000	5.0
Helio F71/5.0 (1596)	71"	160	Bi-pin	Blue	800	5.0
Helio F71/6.5 (1597)	71"	100	Bi-pin	Blue	1000	6.5
Helio F71/8.5 (1598)	71"	100	Bi-pin	Blue	1000	8.5
Helio Double Action (1608)	71"	100	Bi-pin	Blue/Pink	1000	5.0/6.5
Helio F73/5.0 (1599)	73"	100	RDC	Blue	1000	5.0
Helio F73/6.5 (1600)	73"	100	RDC	Blue	1000	6.5
Helio F73/8.5 (1601)	73"	100	RDC	Blue	1000	8.5
Helio Reflector						
Helio FR71/5.0 (1602)	71"	100	Bi-pin	Blue	1000	5.0
Helio FR716.5 (1603)	71"	100	Bi-pin	Blue	1000	6.5
Helio FR73/5.0 (1604)	73"	100	RDC	Blue	1000	5.0
Helio FR73/5.0 (1605)	73"	160	RDC	Blue	800	5.0
Helio FR73/6.5 (1606)	73"	100	RDC	Blue	1000	6.5
Helio FR73/6.5 (1607)	73"	160	RDC	Blue	800	6.5
HelioPulse™ Collection						
HelioPulse Reflector						
HelioPulse FR59 3.5 (1609)	59"	140	Bi-pin	Blue	800	3.5
HelioPulse FR71 2.6 (1610)	71"	100	Bi-pin	Blue	1000	2.6
HelioPulse FR71 2.6 (1611)	71"	160	Bi-pin	Blue	800	2.6
HelioPulse FR71 3.5 (1612)	71"	100	Bi-pin	Blue	1000	3.5
HelioPulse FR71 3.5 (1613)	71"	160	Bi-pin	Blue	800	3.5
HelioPulse FR71 3.5 RDC (1614)	71"	100	RDC	Blue	1000	3.5
HelioPulse FR73 2.6 (1615)	73"	100	RDC	Blue	1000	2.6
HelioPulse FR73 3.5 (1616)	73"	160	RDC	Blue	800	3.5
HelioPulse FR78 3.5 (1617)	79"	180	Bi-pin	Blue	800	3.5
HelioPulse FR71/HPP (1643)	71"	160	Bi-pin	Blue	1000+	2.8
HelioPulse FR78/HPP (1644)	79"	180	Bi-pin	Blue	1000+	2.8
Heraeus						
Heraeus Magic Sun						
Magic Sun 20/80R	59"	80	Bi-pin	Blue	1000	3.4
Magic Sun 23/80R	59"	80	Bi-pin	Blue	1000	3.9
Magic Sun 16/100R	71"	100	Bi-pin	Blue	1000	3.0
Magic Sun 20/100R	71"	100	Bi-pin	Blue	1000	3.4
Magic Sun 20/100R RDC	73"	100	RDC	Blue	1000	3.4
Magic Sun 23/100R	71"	100	Bi-pin	Blue	1000	3.9
Magic Sun 26/100R	71"	100	Bi-pin	Blue	1000	4.6
Magic Sun 20/140R	59"	140	Bi-pin	Blue	800	3.4
Magic Sun 23/140R	59"	140	Bi-pin	Blue	800	3.9
Magic Sun 16/160R	71"	160	Bi-pin	Blue	800	2.8
Magic Sun 20/180R	79"	180	Bi-pin	Blue	800	3.5
Magic Sun 20/160R	71"	160	Bi-pin	Blue	800	3.4
Magic Sun 20/160R RDC	73"	160	RDC	Blue	800	3.4
Magic Sun 23/160R	71"	160	Bi-pin	Blue	800	3.9
Magic Sun 26/160R	71"	160	Bi-pin	Blue	800	4.6
Magic Sun 4/160R	71"	160	Bi-pin	Blue	1000+	1.5
NewColors						
New Colors F73/RDC HXU	73"	100	RDC	Blue	800	8.0
New Colors F71/BP HXU	71"	100	Bi-pin	Blue	800	8.0
New Colors F73/RDC HXT	73"	100	RDC	Blue	800	6.5
New Colors F73/RDC 100T	73"	100	RDC	Blue	800	5.0
New Colors 7/100R	71"	100	Bi-pin	Blue	800	1.1
New Colors Speedster HXL R	71"	100	Bi-pin	Blue	800	5.0
New Colors 20/180R	71"	180	Bi-pin	Blue	800	3.6
Classics						
Classics 21/25 Slim	21"	25	Bi-pin	Blue	750	2.0
Classics 21/25R Slim	21"	25	Bi-pin	Blue	750	2.7
Classics OH C 160 XL	71"	160	Bi-pin	Blue	750	4.4




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Brilliance by LSI						
Brilliance 5.0						
F59T12 BL BP 5.0	59"	80	Bi-pin	Blue	800	5.0
F71T12 BL BP 5.0	71"	100	Bi-pin	Blue	800	5.0
F73T12 BL HO 5.0	73"	100	RDC	Blue	800	5.0
F72T12 BL VHO 5.0	72"	160	RDC	Blue	600	5.0
B73T12 BL VHO 5.0	73"	160	RDC	Blue	600	5.0
Brilliance 6.5						
F59T12 BL BP 6.5	59"	80	Bi-pin	Blue	800	6.5
F71T12 BL BP 6.5	71"	100	Bi-pin	Blue	800	6.5
F73T12 BL HO 6.5	73"	100	RDC	Blue	800	6.5
F72T12 BL VHO 6.5	72"	160	RDC	Blue	600	6.5
F73T12 BL VHO 6.5	73"	160	RDC	Blue	600	6.5
Brilliance 8.5						
F59T12 BL BP 8.5	59"	80	Bi-pin	Blue	800	8.5
F71T12 BL BP 8.5	71"	100	Bi-pin	Blue	800	8.5
F73T12 BL HO 8.5	73"	100	RDC	Blue	800	8.5
F72T12 BL VHO 8.5	72"	160	RDC	Blue	600	8.5
F73T12 BL VHO 8.5	73"	160	RDC	Blue	600	8.5
Brilliance EuroPower						
FR59T12 BL BP	59"	80	Bi-pin	Blue	800	2.8
FR71T12 BL BP	71"	100	Bi-pin	Blue	800	2.8
FR59T12 BL VHO	59"	140	Bi-pin	Blue	750	2.8
FR71T12 BL VHO	71"	160	Bi-pin	Blue	750	2.8
Brilliance Supreme						
F73T12 BL HO 120W	73"	120	RDC	Blue	1000	5.0
Cheetah 9.5 10-minute						
F59T12 BL BP	59"	80	Bi-pin	Blue	1000	9.5
F71T12 BL BP	71"	100	Bi-pin	Blue	1000	9.5
F73T12 BL HO	73"	100	RDC	Blue	1000	9.5
F74T12 BL HO	74"	100	RDC	Blue	1000	9.5
Brilliance Advanced Bronzing System by LSI						
Brilliance Bronzer						
F59T12 BL BP 5.0	59"	80	Bi-pin	Blue	1000	5.0
F71T12 BL BP 5.0	71"	120	Bi-pin	Blue	1000	5.0
F73T12 BL HO 5.0	73"	120	RDC	Blue	1000	5.0
Brilliance Active Bronzer						
F59T12 BL BP 7.0	59"	80	Bi-pin	Blue	1000	7.0
F71T12 BL BP 7.0	71"	100	Bi-pin	Blue	1000	7.0
F73T12 BL HO 7.0	73"	100	RDC	Blue	1000	7.0
FR71T12 BL BP 7.0	71"	100	Bi-pin	Blue	1000	7.0
FR73T12 BL HO 7.0	73"	100	RDC	Blue	1000	7.0
Brilliance Supreme Bronzer						
F59T12 BL BP 8.5	59"	80	Bi-pin	Blue	1000	8.5
F71T12 BL BP 8.5	71"	100	Bi-pin	Blue	1000	8.5
F73T12 BL HO 8.5	73"	100	RDC	Blue	1000	8.5
Brilliance Euro Power Bronzer						
FR59T12 BL BP 3.0	59"	80	Bi-pin	Blue	1000	3.0
FR71T12 BL BP 3.0	71"	100	Bi-pin	Blue	1000	3.0
FR59T12 BL BP VHO 2.8	59"	140	Bi-pin	Blue	800	2.8
FR71T12 BL BP VHO 2.8	71"	160	Bi-pin	Blue	800	2.8
Brilliance Euro Extreme Bronzer						
FR71T12 BL BP VHO 5.0	71"	160	Bi-pin	Blue	800	5.0
Cosmedico						
Cosmolux VHR						
FR59T12 VHR	59"	140		Blue	800	2.8
FR71T12 VHR	71"	160		Blue	800	2.8
FR79T12 VHR 2M	79"	180-200		Blue	800	2.7
FR59T12 VHR TT	59"	140		Blue	800	3.1
FR71T12 VHR TT	71"	160		Blue	800	3.1
FR71T12 VHR HI TAN	71"	160		Blue	800	3.6
Cosmolux 9K90						
FR71T12 VHR 9K90	71"	160		Blue	1100	1.2
FR79T12 VHR 9K90	79"	180-200		Blue	1100	1.3
FR71T12 VLR 9K90	71"	100		Blue	1100	1.9
Cosmolux VLR						
FR59T12 VLR	59"	80		Blue	800	2.8
FR71T12 VLR	71"	100		Blue	800	2.8
FR79T12 VLR	79"	120		Blue	800	2.8
FR59T12 VLR TT	59"	80		Blue	800	3.1
FR71T12 VLR TT	71"	100		Blue	800	3.1
Cosmolux Non-Reflector						
F59 Cosmostar	59"	80		Blue	1000	2.9
F71 Cosmostar	71"	100		Blue	1000	2.9
F59T12 ESP	59"	80		Blue	800	4.4
F71T12 ESP	71"	100		Blue	800	4.4
F73T12 ESP	73"	100		Blue	800	4.4
F59 Goldarium SP	59"	80		Blue	1000	4.0
F71 Goldarium SP	71"	100		Blue	1000	4.0
F73 Goldarium SP	73"	100		Blue	1000	4.0
F59 Hi Tan	59"	80		Blue	800	4.8
F71 Hi Tan	71"	100		Blue	800	4.8
F73 Hi Tan	73"	100		Blue	800	4.8
F71T12 UVA PLUS	71"	100		Blue	500	1.4
F72 Hi Tan VHO	72"	160		Blue	800	3.4
F73 Hi Tan VHO	73"	160		Blue	800	3.4
F59T12 VHO	59"	140		Blue	800	3.5
F71T12 VHO	71"	160		Blue	800	3.5




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Wolff System						
F71 Bellarium S	71"	100	Bi-pin	Pink	1000	4.3
F73 Bellarium S	73"	100	RDC	Pink	1000	4.3
F71 Dominion	71"	100	Bi-pin	Pink	1000	4.4
F73 Dominion	73"	100	RDC	Pink	1000	4.4
F71 EuroSun S3	71"	100	Bi-pin	Pink	1500	4.1
F73 EuroSun S3	73"	100	RDC	Pink	1500	4.1
F59 Everglo	59"	80	Bi-pin	Pink	1000	4.1
F71 Everglo	71"	100	Bi-pin	Pink	1000	4.2
F73 Everglo	73"	100	RDC	Pink	1000	4.2
Kalfasun By Sportarredo						
F59 B23 S White HO	71"	80	Bi-pin	Blue	800	3.8
F71 B23 S White HO	71"	100	Bi-pin	Blue	800	3.8
F71 B23 S White VHO	71"	160	Bi-pin	Blue	800	3.8
Sunfit Lamps by UltraSun						
FR59/Sunfit RX	59"	80	Bi-pin	Blue	1000	3.6
F71/Sunfit X	71"	100	Bi-pin	Blue	1000	4.0
FR71/Sunfit RX	71"	100	Bi-pin	Blue	1000	3.6
F71/Sunfit VX	71"	160	Bi-pin	Blue	800	4.4
FR59/Sunfit VRX	59"	140	Bi-pin	Blue	800	4.4
FR71/Sunfit VRX	71"	160	Bi-pin	Blue	800	4.4
FR79/Sunfit XXL 2M	71"	180	Bi-pin	Blue	800	4.4
Philips						
F12T5 10-15W	12"	15	Bi-pin	Blue	500	
F24 Performance RUVA	24"	40	Bi-pin	Blue	500	
High-Pressure Lamps						
Heraeus						
Heraeus 400W		400	R7S		750	
Heraeus 400-500W LONG		400	R7S Long		1000	
Heraeus 400W PLUS		400	R7S		1000	
Heraeus 400W WIRE		400	Wire Lead		750	
Heraeus 250-500W		250-500	Gy 9.5 Plug In		750	
Heraeus 300-500W		300-500	Gy 9.5 Plug In		750	
Heraeus 500W		500	R7S		750	
Heraeus 500W Wire		500	Wire-lead		750	
Heraeus 600W Wire		600	Wire-lead		750	
Heraeus 600W SE		600	Gy 9.5 Plug-in		750	
Heraeus 610W		610	Knife Type		750	
Heraeus 620W		620	Wire-lead		750	
Heraeus 630W		630	Pin Type		750	
Heraeus 800W SE		800	Gy 9.5 Plug In		750	
Heraeus 800W/R7S		800	R7S		750	
Heraeus 500W-1000W		500-1000	Gy 9.5 Plug-in		750	
Heraeus 1000W 220V		1000	Wire-lead		750	
Heraeus 1000W 380V		1000	Wire-lead		750	
Heraeus 1000W ISO		1000	Wire-lead		750	
Heraeus 700W-1200W		700-1200	Gy 9.5 Plug-in		750	
Heraeus 1400W		1400	Wire-lead		750	
Heraeus 1500W		1500	Wire-lead		750	
Heraeus 2000W 220V		2000	Wire-lead		750	
Heraeus 2000W 380V		2000	Wire-lead		750	
Heraeus 2500W		2500	Wire-lead		750	
LightTech						
LightTech 400W		400	R7S		750	
LightTech 400W Wire		400	Wire-lead		750	
LightTech 400 SE		400	Gy 9.5 Plug-in		750	
LightTech 300-500W		300-500	Gy 9.5 Plug-in		750	
LightTech 500W		500	R7S		750	
LightTech 500W Wire		500	Wire-lead		750	
LightTech 500W-1000W		500-1000	Gy 9.5 Plug-in		750	
LightTech 1000W 220V		1000/220v	Wire-lead		750	
Light Emission Technologies						
LET 500-700W DIVA		500-700	Keyed-plug		750	
LET 700W R7S		700	R7S		750	
California Tan HelioPulse						
HP 400W (1707)		400	R7S		750	
HP 500W (1708)		500	Gy 9.5 Plug-in		750	
HP 1000W (1709)		1000	Wire-lead		750	
HP 1000W/SE (1710)		1000	Gy 9.5 Plug-in		750	
HP 2000 (1711)		2000	Wire-lead		750	
Kalfasun by Sportarredo						
Sportarredo 610W		610	Blade		750	
Sportarredo 630W		630			750	
Sportarredo 1400W		1400	Wire-lead		750	
Sportarredo 1510W		1510	Blade		750	
Sportarredo 1530W		1530	Pins		750	
Sunfit by Ultrasun						
Sunfit RS 400W						
Sunfit RS 500W		500	Wire-lead		800	
Sunfit RS 1500W		1500	Wire-lead		800	
Sunfit RS 2000W		2000	Wire-lead		800	
Miscellaneous						
Brilliance 400W		400	R7S		750	
Philips 400W 30S		400	R7S		750	
UV WORLD, INC.						
Low-Pressure						
SolGlass New Technology	71"	120	Bi-Pin			
SolGlass New Technology	73"	120	RDC			
SolGlass New Technology Ref	71"	170	Bi-pin			
SolGlass New Technology Ref	2 meters	200	Bi-pin			
New Technology CR Reflector	71"	100	Bi-pin			
New Technology CR Reflector	72"	100	RDC			
New Technology CR Reflector	73"	100	RDC			




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
New Technology CR Reflector	74"	100	RDC			
New Technology SR Reflector	59"	80	Bi-pin			
New Technology SR Reflector	71"	100	Bi-pin			
New Technology SR Reflector	72"	100	RDC			
New Technology SR Reflector	73"	100	RDC			
New Technology SR Reflector 200CM	2 meter	120	Bi-pin			
New Technology SR Plus Reflector	59"	80	Bi-pin			
New Technology SR Plus Reflector	71"	100	Bi-pin			
New Technology SR Plus Reflector	72"	100	RDC			
New Technology SR Plus Reflector	73"	100	RDC			
New Technology Extrem Plus Reflector	59"	80	Bi-pin			
New Technology Extrem Plus Reflector	71"	100	Bi-pin			
New Technology Extrem Plus Reflector	72"	100	RDC			
New Technology Extrem Plus Reflector	73"	100	RDC			
New Technology Extrem Plus Reflector	74"	100	RDC			
CN 2.6% Independence	71"	100	Bi-pin			
CN 2.6% Independence	72"	100	RDC			
CN 2.6% Independence	73"	100	RDC			
SN 3.5% Independence	71"	100	Bi-pin			
SN 3.5% Independence	72"	100	RDC			
SN 3.5% Independence	73"	100	RDC			
SN Plus 5% Independence	59"	80	Bi-pin			
SN Plus 5% Independence	71"	100	Bi-pin			
SN Plus 5% Independence	72"	100	RDC			
SN Plus 5% Independence	73"	100	RDC			
SN Plus 5% Independence	74"	100	RDC			
Extrem N 6.5 % Independence	71"	100	Bi-pin			
Extrem N 6.5 % Independence	72"	100	RDC			
Extrem N 6.5 % Independence	73"	100	RDC			
Extrem N 6.5 % Independence	74"	100	RDC			
Extrem N Plus 7.5% Independence	71"	100	Bi-pin			
Extrem N Plus 7.5% Independence	72"	100	RDC			
Extrem N Plus 7.5% Independence	73"	100	RDC			
Extrem N Plus 7.5% Independence	74"	100	RDC			
CR Independence Reflector	59"	140	Bi-pin			
CR Independence Reflector	71"	160	Bi-pin			
CR Independence Reflector	72"	160	RDC			
CR PLUS Independence Reflector	59"	140	Bi-pin			
CR PLUS Independence Reflector	71"	160	Bi-pin			
SR Independence Reflector	59"	140	Bi-pin			
SR Independence Reflector	71"	160	Bi-pin			
SR Independence Reflector	72"	160	RDC			
SR 200 Independence Reflector	79"	180	Bi-pin			
SR PLUS Independence Reflector	59"	140	Bi-pin			
SR PLUS Independence Reflector	71"	160	Bi-pin			
Extrem Independence Reflector	59"	140	Bi-pin			
Extrem Independence Reflector	71"	160	Bi-pin			
Extrem Independence Reflector	72"	160	RDC			
Extrem Independence Reflector	73"	160	RDC			
Extrem Independence Reflector	2 meters	180	Bi-pin			
Extrem Independence Turbo Plus	71"	120	Bi-pin			
Extrem Independence Turbo Plus	73"	120	RDC			
Extrem Independence Turbo Plus	74"	120	RDC			
High Power PI K 500 FR	59"	140	Bi-pin			
High Power PI K 500 FR	71"	160	Bi-pin			
High Power PI K 500 FR	2 meters	180	Bi-pin			
High Power PI K 500 FR	72"	160	RDC			
High Power PI K 500 FR	73"	160	RDC			
CosmoLux 100WP 71" BP VLR	71"	100	Bi-pin			
CosmoLux 100WP ESP 71"	71"	100	Bi-pin			
CosmoLux 100WP ESP 73"	73"	100	RDC			
CosmoLux 100WP Goldarium S PLUS 71"	71"	100	Bi-pin			
CosmoLux 100WP Goldarium S PLUS 73"	73"	100	RDC			
CosmoLux 100WP Hi Tan 71" BP	71"	100	Bi-pin			
CosmoLux 100WP Hi Tan 73" RDC	73"	100	RDC			
CosmoLux 100WP Hi Tan S 73" RDC	73"	100	RDC			
CosmoLux 140W 59" Reflector	59"	140	Bi-pin			
CosmoLux 140W 59" Reflector	59"	140	Bi-pin			
CosmoLux 160WP 71" BP VHO	71"	160	Bi-pin			
CosmoLux 160WP 71" BP VHR	71"	160	Bi-pin			
CosmoLux 160WP 71" BP VHR	71"	160	Bi-pin			
CosmoLux 160WP VHR TT	71"	160	Bi-pin			
CosmoLux 160WP Hi Tan 72" VHO RDC	72"	160	RDC			
CosmoLux 160WP Hi Tan 73" VHO	73"	160	RDC			
CosmoLux 80W ESP 59"	59"	80	Bi-pin			
CosmoLux Hi-Tan 80W 59"	59"	80	Bi-pin			
UV Power Upper Body Facial/HRF	18"	25	Bi-pin			
UV Power 100W 73" P Class	73"	100	RDC			
UV Power 105W 59" BP	59"	105	Bi-pin			
UV Power 105W 60" RDC	60"	105	RDC			
UV Power 105W 73" RDC	73"	105	RDC			
UV Power 105W Plus 71" BP	71"	105	Bi-pin			
UV Power 105W Plus 71" BP	71"	105	Bi-pin			
UV Power 105W Plus 73" RDC	73"	105	RDC			
UV Power 120W 71" BP	71"	120	Bi-pin			
UV Power 120W 73" RDC	73"	120	RDC			
UV Power 120W Plus73" RDC	73"	120	RDC			
UV Power 120W P15 73" RDC	73"	120	RDC			
UV Power 120W 10 x 74" RDC	74"	120	RDC			
UV Power 120WP Hi-Tan lamp	71"	120	Bi-pin			
UV Power 120W 79" Reflector	2 meters	120	Bi-pin			
UV Power 170WP 71" BP	71"	170	Bi-pin			
UV Power 170WP 71" BP PRX	71"	170	Bi-pin			
UV Power 170WP 72" RDC VHO	72"	170	RDC			
UV Power 170WP 72" RDC PRS	72"	170	RDC			
UV Power 200WP 72" RDC PSHRX	72"	200	RDC			
Philips Cleo Swift 71	71"	100	Bi-pin			
Philips 100W 71" Performance R	71"	100	Bi-pin			
Philips 100W 71" Professional R	71"	100	Bi-pin			
Philips 100W 71" Super Power R	71"	100	Bi-pin			
Philips 100W 71" Cleo Advantage	71"	100	Bi-pin			
Philips 160W 71" Cleo Advantage R	71"	160	Bi-pin			
Philips 100W 71" Cleo Swift	71"	100	Bi-pin			
Philips 100W 71" Cleo Swift-R	71"	100	Bi-pin			
Philips 160W 71" Cleo Swift-R	71"	160	Bi-pin			
Philips 100WP Professional SR	73"	100	RDC			
Philips 140W 71" BP	71"	140	Bi-pin			
Philips 140W 71" BP Reflector	71"	140	Bi-pin			
Philips 160W 71" BP SHR	71"	160	Bi-pin			




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Philips 160W 71" Swift BP	71"	160	Bi-pin			
Philips 100W Performance 71" BP	71"	100	Bi-pin			
Philips 100W Pro Super PWR. R	71"	100	Bi-pin			
Philips 160W Professional SR Turbo Power	71"	160	Bi-pin			
Philips Super Power R 100W	71"	100	Bi-pin			
Shoulder Tanners						
Independence XN	12"	15	Bi-pin			
Independence SR PLUS	21"	25	Bi-pin			
Independence SR PLUS	24"	40	Bi-pin			
Philips Shoulder Lamp TL	21"	25	Bi-pin			
Philips 25W CLEO S	21"	25	Bi-pin			
UV World						
High Pressure						
Philips Facial Lamp 300/400/500W single-end						
Philips Facial Lamp 1000W wire-lead (HPA 1200 S)		1000	Wire-lead			
Heraeus Facial Lamp 1000W 1127 BQ112724		1000	Clip-in			
Philips Facial Lamp 400W		400	Clip-in			
Philips Facial Lamp 400W Screw-in		400	Screw-in			
Ariana Facial Lamp 500W Clip		500	Clip-in			
Philips Facial Lamp 400W Clip in (HPA 400 S)		400	Clip-in			
Philips Facial 500W Wire-lead (COS 20049)		500	Wire-lead			
Philips Facial 1000W 380V Wire-lead (COS 20114)		1000	Wire-lead			
Philips Facial 2000W 220V Wire-lead (COS 24200)		2000	Wire-lead			
Philips Facial 2000W 380V Wire-lead (COS 24210)		2000	Wire-lead			
Philips Facial Philips 400W-300 Dual-end		400	Dual-end			
Philips Facial Philips 500W-450/600 BP		500	Bi-pin			
Philips Facial Philips 400W HPA 400S		400	Snap-in			
Philips Facial Philips 400W HPA 400/30 S		400	Snap-in			
Philips Facial Philips 400W HPA 400/30 SD		400	Snap-in			
Philips Facial Philips 400W HPA 400/30 SC		400	Snap-in			
Philips Facial Philips 400W HPA 400/30 SDC		400	Snap-in			
CosmoLux Ariana 500W Wire-lead facial		500	Wire-lead			
New Technology Facial		400-500	Snap-in			
New Technology Facial		300-500	Single-socket			
New Technology Facial		800-1000	Single-socket			
New Technology Facial		500-1000	Single-socket			
New Technology Facial		400-500	Wire-lead			
New Technology Facial		1000/220v	Wire-lead			
New Technology Facial		1000	Wire-lead			
New Technology Facial		2000/400v	Wire-lead			
New Technology Facial		2000/380v	Wire-lead			
New Technology Facial		2000/380v	Wire-lead			
New Technology Facial		2000/220v	Wire-lead			
New Technology Facial		Type 10	Knife-socket			
New Technology Facial		Type 610	Knife-socket			
New Technology Facial		Type 600	Wire-lead			
New Technology Facial		Type 1400	Wire-lead			
New Technology Facial		Type 1510	Knife-socket			
New Technology Facial		Type 2300	Wire-lead			
New Technology Facial		Type 2510	Knife-socket			
UVALUX INTERNATIONAL, INC.						
Bellarium S	71"	100	Bi-pin	Warm	1000	
Bellarium S	73"	100	RDC	Warm	1000	
Bellarium S/R	71"	R160	Bi-pin	Warm	800	
Bronzing Sun™	73"	100	RDC	Blue	800	
Bronzing Sun™	59"	R80	Bi-pin	Blue	500	
Bronzing Sun™ Elite	59"	140	Bi-pin	Blue	500	
Bronzing Sun™	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™	73"	R100	RDC	Blue	800	
Bronzing Sun™	59"	R140	Bi-pin	Blue	800	
Bronzing Sun™	71"	160	Bi-pin	Blue	800	
Bronzing Sun™	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™	73"	R160	Bi-pin	Blue	800	
Bronzing Sun™	79"/2 meters	R180	Bi-pin	Blue	800	
Bronzing Sun™ Gold	71"	R200	Bi-pin	Blue	500	
Bronzing Sun™ Gold	79"/2 meters	R200	Bi-pin	Blue	500	
Bronzing Sun™ Mag.	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ Plus	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ Plus	73"	R160	RDC	Blue	800	
Bronzing Sun™ HPK90	71"	100	Bi-pin	Blue	1000	
Bronzing Sun™ HPK90	71"	R100	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ HPK90 Plus	71"	R160	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R180	Bi-pin	Blue	800	
Bronzing Sun™ HPK90	71"	R200	Bi-pin	Blue	800	
Bronzing Sun™ Elite	71"	R160	Bi-pin	Blue	500	
Bronzing Sun™ Elite	73"	R160	RDC	Blue	500	
Dark Tan™ II	71"	100	Bi-pin	Blue	500	
Dark Tan™ II	73"	100	RDC	Blue	500	
Dark Tan™ II Plus	71"	100	Bi-pin	Blue	500	
Dark Tan™ II Plus	73"	100	RDC	Blue	500	
Dark Tan™ II Plus	71"	R100	Bi-pin	Blue	500	
Dark Tan™ Elite	71"	100	Bi-pin	Blue	500	
Dark Tan™ Elite	73"	100	RDC	Blue	500	
Diamond Sun® S	59"	80	Bi-pin	Warm	1000	
Diamond Sun® S	71"	100	Bi-pin	Warm	1000	
Diamond Sun® S	72"	100	RDC	Warm	1000	
Diamond Sun® S	73"	100	RDC	Warm	1000	
Dominion	71"	100	Bi-pin	Warm	1000	
Dominion	73"	100	RDC	Warm	1000	
Eternal Sun	59"	80	Bi-pin	Warm	1000	
Eternal Sun	71"	100	Bi-pin	Warm	1000	
Eternal Sun	73"	100	RDC	Warm	1000	
Eurosun S3	71"	100	Bi-pin	Warm	1500	
Eurosun S3	73"	100	RDC	Warm	1500	
Everglo	59"	80	Bi-pin	Warm	1000	
Everglo	71"	100	Bi-pin	Warm	1000	
Everglo	73"	100	RDC	Warm	1000	
Solarium VHO	72"	160	RDC	Warm	800	
Solarium VHO	73"	160	RDC	Warm	800	
Solarium LR	71"	R100	Bi-pin	Warm	800	
Solarium XLR	71"	R160	Bi-pin	Warm	800	
Solarium XLR	72"	R160	RDC	Warm	800	




Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
Solarium XLR	73"	R160	RDC	Warm	800	
Velocity®	59"	80	Bi-pin	Blue	1000	
Velocity®	71"	100	Bi-pin	Blue	1000	
Velocity®	73"	100	RDC	Blue	1000	
Velocity®	73"	120	RDC	Blue	800	
Velocity® Extreme	71"	100	Bi-pin	Blue	1000	
Velocity® Plus	71"	100	Bi-pin	Blue	1000	
Velocity® Plus	73"	100	RDC	Blue	1000	
Velocity® VS-R	71"	R160	Bi-pin	Blue	800	
Facials and High Pressure						
Del-Sol™		800	Clip-in		600	
TurboSun® S	12"	10	Bi-pin	Warm	1000	
Heraeus OHC SLIM 25L	F21	25	Bi-pin		600	
Heraeus OHC SLIM 25LR	FR21	25	Bi-pin		600	
Heraeus OHM 400	4.2"	400	Clip-in		1000	
Heraeus HPT 400	4.3"	400	Clip-in		600	
Heraeus OHC 460	4.2"	400	Clip-in		600	
Heraeus OHN 24/50		240-500	Plug-in		750	
Heraeus OHN 30/50		300/500	Plug-in		750	
Heraeus OHC 560	4.2"	500	Clip-in		600	
Heraeus OHC 561	4.3"	500	Wire-lead		600	
Heraeus OHN 50/100		500/1000	Plug-in		750	
Heraeus MAT 600		600	Wire-lead		600	
Heraeus OHN 800		800	Clip-in		750	
Heraeus MAT 1000		1000	Wire-lead		600	
Heraeus ORB 1000		1000/380V	Wire-lead		600	
Heraeus OHC 1147	5.4"	1000	Wire-lead		600	
Heraeus OHC 2127	6.75"	2000/230V	Wire-lead		600	
Heraeus OHC 2829	6.75"	2000/380V	Wire-lead		600	
VOLTARC TECHNOLOGIES, INC.						
Voltarc Classic						
F59T12/BP/Classic 5.0	59"	85	Bi-pin	Pink	800	5.0
F59T12/VHO/Classic 5.0	59"	140	Bi-pin	Pink	500	5.0
FR59T12/BP/Classic 5.0	59"	85	Bi-pin	Pink	800	5.0
FR59T12/VHO/Classic 5.0	59"	140	Bi-pin	Pink	500	5.0
F71T12/BP/Classic 5.0	71"	100	Bi-pin	Pink	800	5.0
F71T12/VHO/Classic 5.0	71"	165	Bi-pin	Pink	500	5.0
FR71T12/BP/Classic 5.0	71"	100	Bi-pin	Pink	800	5.0
FR71T12/VHO/Classic 5.0	71"	165	Bi-pin	Pink	500	5.0
F72T12/HO/Classic 5.0	72"	100	RDC	Pink	800	5.0
F72T12/VHO/Classic 5.0	72"	165	RDC	Pink	500	5.0
FR72T12/HO/Classic 5.0	72"	100	RDC	Pink	800	5.0
FR72T12/VHO/Classic 5.0	72"	165	RDC	Pink	500	5.0
F73T12/HO/Classic 5.0	73"	100	RDC	Pink	800	5.0
F73T12/VHO/Classic 5.0	73"	165	RDC	Pink	500	5.0
FR73T12/HO/Classic 5.0	73"	100	RDC	Pink	800	5.0
FR73T12/VHO/Classic 5.0	73"	165	RDC	Pink	500	5.0
F59T12/BP/Classic 6.5	59"	85	Bi-pin	Pink	800	6.5
F59T12/VHO/Classic 6.5	59"	140	Bi-pin	Pink	500	6.5
FR59T12/BP/Classic 6.5	59"	85	Bi-pin	Pink	800	6.5
FR59T12/VHO/Classic 6.5	59"	140	Bi-pin	Pink	500	6.5
F71T12/BP/Classic 6.5	71"	100	Bi-pin	Pink	800	6.5
F71T12/VHO/Classic 6.5	71"	165	Bi-pin	Pink	500	6.5
FR71T12/BP/Classic 6.5	71"	100	Bi-pin	Pink	800	6.5
FR71T12/VHO/Classic 6.5	71"	165	Bi-pin	Pink	500	6.5
F72T12/HO/Classic 6.5	72"	100	RDC	Pink	800	6.5
F72T12/VHO/Classic 6.5	72"	165	RDC	Pink	500	6.5
FR72T12/HO/Classic 6.5	72"	100	RDC	Pink	800	6.5
FR72T12/VHO/Classic 6.5	72"	165	RDC	Pink	500	6.5
F73T12/HO/Classic 6.5	73"	100	RDC	Pink	800	6.5
F73T12/VHO/Classic 6.5	73"	165	RDC	Pink	500	6.5
FR73T12/HO/Classic 6.5	73"	100	RDC	Pink	800	6.5
FR73T12/VHO/Classic 6.5	73"	165	RDC	Pink	500	6.5
F59T12/BP/Classic 7.0	59"	85	Bi-pin	Pink	800	7.0
F59T12/VHO/Classic 7.0	59"	140	Bi-pin	Pink	500	7.0
FR59T12/BP/Classic 7.0	59"	85	Bi-pin	Pink	800	7.0
FR59T12/VHO/Classic 7.0	59"	140	Bi-pin	Pink	500	7.0
F71T12/BP/Classic 7.0	71"	100	Bi-pin	Pink	800	7.0
F71T12/VHO/Classic 7.0	71"	165	Bi-pin	Pink	500	7.0
FR71T12/BP/Classic 7.0	71"	100	Bi-pin	Pink	800	7.0
FR71T12/VHO/Classic 7.0	71"	165	Bi-pin	Pink	500	7.0
F72T12/HO/Classic 7.0	72"	100	RDC	Pink	800	7.0
F72T12/VHO/Classic 7.0	72"	165	RDC	Pink	500	7.0
FR72T12/HO/Classic 7.0	72"	100	RDC	Pink	800	7.0
FR72T12/VHO/Classic 7.0	72"	165	RDC	Pink	500	7.0
F73T12/HO/Classic 7.0	73"	100	RDC	Pink	800	7.0
F73T12/VHO/Classic 7.0	73"	165	RDC	Pink	500	7.0
FR73T12/HO/Classic 7.0	73"	100	RDC	Pink	800	7.0
FR73T12/VHO/Classic 7.0	73"	165	RDC	Pink	500	7.0
F59T12/BP/Classic 7.5	59"	85	Bi-pin	Pink	800	7.5
F59T12/VHO/Classic 7.5	59"	140	Bi-pin	Pink	500	7.5
FR59T12/BP/Classic 7.5	59"	85	Bi-pin	Pink	800	7.5
FR59T12/VHO/Classic 7.5	59"	140	Bi-pin	Pink	500	7.5
F71T12/BP/Classic 7.5	71"	100	Bi-pin	Pink	800	7.5
F71T12/VHO/Classic 7.5	71"	165	Bi-pin	Pink	500	7.5
FR71T12/BP/Classic 7.5	71"	100	Bi-pin	Pink	800	7.5
FR71T12/VHO/Classic 7.5	71"	165	Bi-pin	Pink	500	7.5
F72T12/HO/Classic 7.5	72"	100	RDC	Pink	800	7.5
F72T12/VHO/Classic 7.5	72"	165	RDC	Pink	500	7.5
FR72T12/HO/Classic 7.5	72"	100	RDC	Pink	800	7.5
FR72T12/VHO/Classic 7.5	72"	165	RDC	Pink	500	7.5
F73T12/HO/Classic 7.5	73"	100	RDC	Pink	800	7.5
F73T12/VHO/Classic 7.5	73"	165	RDC	Pink	500	7.5
FR73T12/HO/Classic 7.5	73"	100	RDC	Pink	800	7.5
FR73T12/VHO/Classic 7.5	73"	165	RDC	Pink	500	7.5
F59T12/BP/Classic 8.5	59"	85	Bi-pin	Pink	800	8.5
F59T12/VHO/Classic 8.5	59"	140	Bi-pin	Pink	500	8.5
FR59T12/BP/Classic 8.5	59"	85	Bi-pin	Pink	800	8.5
FR59T12/VHO/Classic 8.5	59"	140	Bi-pin	Pink	500	8.5
F71T12/BP/Classic 8.5	71"	100	Bi-pin	Pink	800	8.5
F71T12/VHO/Classic 8.5	71"	165	Bi-pin	Pink	500	8.5
FR71T12/BP/Classic 8.5	71"	100	Bi-pin	Pink	800	8.5
FR71T12/VHO/Classic 8.5	71"	165	Bi-pin	Pink	500	8.5
F72T12/HO/Classic 8.5	72"	100	RDC	Pink	800	8.5
F72T12/VHO/Classic 8.5	72"	165	RDC	Pink	500	8.5
FR72T12/HO/Classic 8.5	72"	100	RDC	Pink	800	8.5
FR72T12/VHO/Classic 8.5	72"	165	RDC	Pink	500	8.5



Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
FR72T12/VHO/Classic 8.5	72"	165	RDC	Pink	500	8.5
F73T12/HO/Classic 8.5	73"	100	RDC	Pink	800	8.5
F73T12/VHO/Classic 8.5	73"	165	RDC	Pink	500	8.5
FR73T12/HO/Classic 8.5	73"	100	RDC	Pink	800	8.5
FR73T12/VHO/Classic 8.5	73"	165	RDC	Pink	500	8.5
Voltarc GTX Series						
F59T12/BP/2.6/GTX-1000	59"	85	Bi-pin	Blue	1000	2.6
F59T12/VHO/2.6/GTX-700	59"	140	Bi-pin	Blue	800	2.6
FR59T12/BP/2.6/GTX-1000	59"	85	Bi-pin	Blue	1000	2.6
FR59T12/VHO/2.6/GTX-700	59"	140	Bi-pin	Blue	800	2.6
F71T12/BP/2.6/GTX-1000	71"	100-200	Bi-pin	Blue	1000	2.6
F71T12/VHO/2.6/GTX-700	71"	140-200	Bi-pin	Blue	800	2.6
FR71T12/BP/2.6/GTX-1000	71"	100-120	Bi-pin	Blue	1000	2.6
FR71T12/VHO/2.6/GTX-700	71"	140-200	Bi-pin	Blue	800	2.6
F72T12/HO/2.6/GTX-1000	72"	100-120	RDC	Blue	1000	2.6
F72T12/VHO/2.6/GTX-700	72"	140-200	RDC	Blue	800	2.6
FR72T12/HO/2.6/GTX-1000	72"	100-120	RDC	Blue	1000	2.6
FR72T12/VHO/2.6/GTX-700	72"	140-200	RDC	Blue	800	2.6
F73T12/HO/2.6/GTX-1000	73"	100-120	RDC	Blue	1000	2.6
F73T12/VHO/2.6/GTX-700	73"	140-200	RDC	Blue	800	2.6
FR73T12/HO/2.6/GTX-1000	73"	100-120	RDC	Blue	1000	2.6
FR73T12/VHO/2.6/GTX-700	73"	140-200	RDC	Blue	800	2.6
FR79T12/VHO/2.6/GTX-700	73"	160-240	Bi-pin	Blue	800	2.6
F59T12/BP/5.0/GTX-1000	59"	85	Bi-pin	Blue	1000	5.0
F59T12/VHO/5.0/GTX-700	59"	140	Bi-pin	Blue	800	5.0
FR59T12/BP/5.0/GTX-1000	59"	85	Bi-pin	Blue	1000	5.0
FR59T12/VHO/5.0/GTX-700	59"	140	Bi-pin	Blue	800	5.0
F71T12/BP/5.0/GTX-1000	71"	100-120	Bi-pin	Blue	1000	5.0
F71T12/VHO/5.0/GTX-700	71"	140-200	Bi-pin	Blue	800	5.0
FR71T12/BP/5.0/GTX-1000	71"	100-120	Bi-pin	Blue	1000	5.0
FR71T12/VHO/5.0/GTX-700	71"	140-200	Bi-pin	Blue	800	5.0
F72T12/HO/5.0/GTX-1000	72"	100-120	RDC	Blue	1000	5.0
F72T12/VHO/5.0/GTX-700	72"	140-200	RDC	Blue	800	5.0
FR72T12/HO/5.0/GTX-1000	72"	100-120	RDC	Blue	1000	5.0
FR72T12/VHO/5.0/GTX-700	72"	140-200	RDC	Blue	800	5.0
F73T12/HO/5.0/GTX-1000	73"	100-120	RDC	Blue	1000	5.0
F73T12/VHO/5.0/GTX-700	73"	140-200	RDC	Blue	800	5.0
FR73T12/HO/5.0/GTX-1000	73"	100-120	RDC	Blue	1000	5.0
FR73T12/VHO/5.0/GTX-700	73"	140-200	RDC	Blue	800	5.0
F79T12/HO/5.0/GTX	2 meters	120	RDC	Blue	1000	5.0
FR79T12/HO/5.0/GTX	2 meters	120	RDC	Blue	1000	5.0
F79T12/VHO/5.0/GTX	2 meters	160-240	Bi-pin	Blue	800	5.0
FR79T12/VHO/5.0/GTX	2 meters	160-240	Bi-pin	Blue	800	5.0
F71T12/HO/GTX 120	71"	120	Bi-pin	Blue	1000	
F73T12/HO/GTX 120	73"	120	RDC	Blue	1000	
F59T12/BP/6.5/GTX-1000	59"	85	Bi-pin	Blue	1000	6.5
F59T12/VHO/6.5/GTX-700	59"	140	Bi-pin	Blue	800	6.5
FR59T12/BP/6.5/GTX-1000	59"	85	Bi-pin	Blue	1000	6.5
FR59T12/VHO/6.5/GTX-700	59"	140	Bi-pin	Blue	800	6.5
F71T12/BP/6.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	6.5
F71T12/VHO/6.5/GTX-700	71"	140-200	Bi-pin	Blue	800	6.5
FR71T12/BP/6.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	6.5
FR71T12/VHO/6.5/GTX-700	71"	140-200	Bi-pin	Blue	800	6.5
F72T12/HO/6.5/GTX-1000	72"	100-120	RDC	Blue	1000	6.5
F72T12/VHO/6.5/GTX-700	72"	140-200	RDC	Blue	800	6.5
FR72T12/HO/6.5/GTX-1000	72"	100-120	RDC	Blue	1000	6.5
FR72T12/VHO/6.5/GTX-700	72"	140-200	RDC	Blue	800	6.5
F73T12/HO/6.5/GTX-1000	73"	100-120	RDC	Blue	1000	6.5
F73T12/VHO/6.5/GTX-700	73"	140-200	RDC	Blue	800	6.5
FR73T12/HO/6.5/GTX-1000	73"	100-120	RDC	Blue	1000	6.5
FR73T12/VHO/6.5/GTX-700	73"	140-200	RDC	Blue	800	6.5
F59T12/BP/7.5/GTX-1000	59"	85	Bi-pin	Blue	1000	7.5
F59T12/VHO/7.5/GTX-700	59"	140	Bi-pin	Blue	800	7.5
FR59T12/BP/7.5/GTX-1000	59"	85	Bi-pin	Blue	1000	7.5
FR59T12/VHO/7.5/GTX-700	59"	140	Bi-pin	Blue	800	7.5
F71T12/BP/7.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	7.5
F71T12/VHO/7.5/GTX-700	71"	140-200	Bi-pin	Blue	800	7.5
FR71T12/BP/7.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	7.5
FR71T12/VHO/7.5/GTX-700	71"	140-200	Bi-pin	Blue	800	7.5
F72T12/HO/7.5/GTX-1000	72"	100-120	RDC	Blue	1000	7.5
F72T12/VHO/7.5/GTX-700	72"	140-200	RDC	Blue	800	7.5
FR72T12/HO/7.5/GTX-1000	72"	100-120	RDC	Blue	1000	7.5
FR72T12/VHO/7.5/GTX-700	72"	140-200	RDC	Blue	800	7.5
F73T12/HO/7.5/GTX-1000	73"	100-120	RDC	Blue	1000	7.5
F73T12/VHO/7.5/GTX-700	73"	140-200	RDC	Blue	800	7.5
FR73T12/HO/7.5/GTX-1000	73"	100-120	RDC	Blue	1000	7.5
FR73T12/VHO/7.5/GTX-700	73"	140-200	RDC	Blue	800	7.5
F59T12/BP/8.5/GTX-1000	59"	85	Bi-pin	Blue	1000	8.5
F59T12/VHO/8.5/GTX-700	59"	140	Bi-pin	Blue	800	8.5
FR59T12/BP/8.5/GTX-1000	59"	85	Bi-pin	Blue	1000	8.5
FR59T12/VHO/8.5/GTX-700	59"	140	Bi-pin	Blue	800	8.5
F71T12/BP/8.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	8.5
F71T12/VHO/8.5/GTX-700	71"	140-200	Bi-pin	Blue	800	8.5
FR71T12/BP/8.5/GTX-1000	71"	100-120	Bi-pin	Blue	1000	8.5
FR71T12/VHO/8.5/GTX-700	71"	140-200	Bi-pin	Blue	800	8.5
F72T12/HO/8.5/GTX-1000	72"	100-120	RDC	Blue	1000	8.5
F72T12/VHO/8.5/GTX-700	72"	140-200	RDC	Blue	800	8.5
FR72T12/HO/8.5/GTX-1000	72"	100-120	RDC	Blue	1000	8.5
FR72T12/VHO/8.5/GTX-700	72"	140-200	RDC	Blue	800	8.5
F73T12/HO/8.5/GTX-1000	73"	100-120	RDC	Blue	1000	8.5
F73T12/VHO/8.5/GTX-700	73"	140-200	RDC	Blue	800	8.5
FR73T12/HO/8.5/GTX-1000	73"	100-120	RDC	Blue	1000	8.5
FR73T12/VHO/8.5/GTX-700	73"	140-200	RDC	Blue	800	8.5
F74T12/HO/8.5/GTX-1000	74"	100-120	RDC	Blue	1000	8.5
Voltarc GTX Bronze						
FR59T12/GTX Bronze/HOR	59"	85	Bi-pin	Blue	1000	3.3
FR71T12/GTX Bronze/HOR	71"	100-120	Bi-pin	Blue	1000	3.3
FR72T12/GTX Bronze/HOR	72"	100-120	RDC	Blue	1000	3.3
FR73T12/GTX Bronze/HOR	73"	100-120	RDC	Blue	1000	3.3
FR79T12/HO/5.0/GTX Bronze	2 meters	120	RDC	Blue	1000	3.3
Voltarc GTX Bronze+						
FR59T12/GTX Bronze+/VHOR	59"	140	Bi-pin	Blue	800	3.3
FR71T12/GTX Bronze+/VHOR	71"	140-200	Bi-pin	Blue	800	3.3
FR72T12/GTX Bronze+/VHOR	72"	140-200	RDC	Blue	800	3.3



Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
FR73T12/GTX Bronze+VHOR	73"	140-200	RDC	Blue	800	3.3
FR79T12/ GTX Bronze+VHOR	2 meters	160-240	Bi-pin	Blue	800	3.3
Voltarc SST Series						
F71T12/BP/6.5-5.0/SST-1000	71"	100-120	Bi-pin	Blue	1000	6.5/5.0
F71T12/VHO/6.5-5.0/SST-700	71"	140-200	Bi-pin	Blue	800	6.5/5.0
FR71T12/BP/6.5-5.0/SST-1000	71"	100-120	Bi-pin	Blue	1000	6.5/5.0
FR71T12/VHO/6.5-5.0/SST-700	71"	140-200	Bi-pin	Blue	800	6.5/5.0
F72T12/HO/6.5-5.0/SST-1000	72"	100-120	RDC	Blue	1000	6.5/5.0
F72T12/VHO/6.5-5.0/SST-700	72"	140-200	RDC	Blue	800	6.5/5.0
FR72T12/HO/6.5-5.0/SST-1000	72"	100-120	RDC	Blue	1000	6.5/5.0
FR72T12/VHO/6.5-5.0/SST-700	72"	140-200	RDC	Blue	800	6.5/5.0
F73T12/HO/6.5-5.0/SST-1000	73"	100-120	RDC	Blue	1000	6.5/5.0
F73T12/VHO/6.5-5.0/SST-700	73"	140-200	RDC	Blue	800	6.5/5.0
FR73T12/HO/6.5-5.0/SST-1000	73"	100-120	RDC	Blue	1000	6.5/5.0
FR73T12/VHO/6.5-5.0/SST-700	73"	140-200	RDC	Blue	800	6.5/5.0
F79T12/HO/5.0/SST	2 meters	120	RDC	Blue	1000	6.5/5.0
FR79T12/HO/5.0/SST	2 meters	120	RDC	Blue	1000	6.5/5.0
F79T12/VHO/5.0/SST	2 meters	160-240	Bi-pin	Blue	800	6.5/5.0
FR79T12/VHO/5.0/SST	2 meters	160-240	Bi-pin	Blue	800	6.5/5.0
F71T12/BP/7.5-6.5/SST-1000	71"	100-120	Bi-pin	Blue	1000	7.5/6.5
F71T12/VHO/7.5-6.5/SST-700	71"	140-200	Bi-pin	Blue	800	7.5/6.5
FR71T12/BP/7.5-6.5/SST-1000	71"	100-120	Bi-pin	Blue	1000	7.5/6.5
FR71T12/VHO/7.5-6.5/SST-700	71"	140-200	Bi-pin	Blue	800	7.5/6.5
F72T12/HO/7.5-6.5/SST-1000	72"	100-120	RDC	Blue	1000	7.5/6.5
F72T12/VHO/7.5-6.5/SST-700	72"	140-200	RDC	Blue	800	7.5/6.5
FR72T12/HO/7.5-6.5/SST-1000	72"	100-120	RDC	Blue	1000	7.5/6.5
FR72T12/VHO/7.5-6.5/SST-700	72"	140-200	RDC	Blue	800	7.5/6.5
F73T12/HO/7.5-6.5/SST-1000	73"	100-120	RDC	Blue	1000	7.5/6.5
F73T12/VHO/7.5-6.5/SST-700	73"	140-200	RDC	Blue	800	7.5/6.5
FR73T12/HO/7.5-6.5/SST-1000	73"	100-120	RDC	Blue	1000	7.5/6.5
FR73T12/VHO/7.5-6.5/SST-700	73"	140-200	RDC	Blue	800	7.5/6.5
Voltarc PWR Series						
F59T12/BP/PWR-30	59"	80	Bi-pin	Blue	1000	
FR59T12/BP/PWR-30	59"	80	Bi-pin	Blue	1000	
F71T12/BP/PWR-30	71"	100-120	Bi-pin	Blue	1000	
FR71T12/BP/PWR-30	71"	100-120	Bi-pin	Blue	1000	
F72T12/HO/PWR-30	72"	100-120	RDC	Blue	1000	
FR72T12/HO/PWR-30	72"	100-120	RDC	Blue	1000	
F73T12/HO/PWR-30	73"	100-120	RDC	Blue	1000	
FR73T12/HO/PWR-30	73"	100-120	RDC	Blue	1000	
F59T12/BP/PWR-20	59"	80	Bi-pin	Blue	1000	
FR59T12/BP/PWR-20	59"	80	Bi-pin	Blue	1000	
F71T12/BP/PWR-20	71"	100-120	Bi-pin	Blue	1000	
FR71T12/BP/PWR-20	71"	100-120	Bi-pin	Blue	1000	
F72T12/HO/PWR-20	72"	100-120	RDC	Blue	1000	
FR72T12/HO/PWR-20	72"	100-120	RDC	Blue	1000	
F73T12/HO/PWR-20	73"	100-120	RDC	Blue	1000	
FR73T12/HO/PWR-20	73"	100-120	RDC	Blue	1000	
F59T12/BP/PWR-15	59"	80	Bi-pin	Blue	1000	
FR59T12/VHO/PWR-15	59"	140	Bi-pin	Blue	800	
FR59T12/BP/PWR-15	59"	80	Bi-pin	Blue	1000	
F71T12/BP/PWR-15	71"	100-120	Bi-pin	Blue	1000	
F71T12/VHO/PWR-15	71"	140-200	Bi-pin	Blue	800	
FR71T12/BP/PWR-15	71"	100-120	Bi-pin	Blue	1000	
F72T12/HO/PWR-15	72"	100-120	RDC	Blue	1000	
F72T12/VHO/PWR-15	72"	140-200	RDC	Blue	800	
FR72T12/HO/PWR-15	72"	100-120	RDC	Blue	1000	
F73T12/HO/PWR-15	73"	100-120	RDC	Blue	1000	
F73T12/VHO/PWR-15	73"	140-200	RDC	Blue	800	
FR73T12/HO/PWR-15	73"	100-120	RDC	Blue	1000	
F74T12/HO/PWR-15	74"	100-120	RDC	Blue	1000	
FR79T12/VHO/PWR-15	2 meters	160-240	Bi-pin	Blue	800	
FR59T12/VHO/PWR-12	59"	140	Bi-pin	Blue	800	
FR71T12/VHO/PWR-12	71"	140-200	Bi-pin	Blue	800	
FR72T12/VHO/PWR-12	72"	140-200	RDC	Blue	800	
FR73T12/VHO/PWR-12	73"	140-200	RDC	Blue	800	
FR79T12/VHO/PWR-12	2 meters	160-240	Bi-pin	Blue	800	
FR59T12/VHO/PWR-10	59"	140	Bi-pin	Blue	800	
FR71T12/VHO/PWR-10	71"	140-200	Bi-pin	Blue	800	
FR72T12/VHO/PWR-10	72"	140-200	RDC	Blue	800	
FR73T12/VHO/PWR-10	73"	140-200	RDC	Blue	800	
F74T12/HO/PWR-10	74"	100-120	RDC	Blue	1000	
FR79T12/VHO/PWR-10	2 meters	160-240	Bi-pin	Blue	800	
Voltarc Fantasy Tan						
FR74T12/VHO/200w	74"	200	RDC	Pink/Blue/Pink	800	
Voltarc T-8 Facials						
FR15T8/6.5/GTX-1000	18"	15-40	Bi-pin	Blue	1000	6.5
FR15T8/7.5/GTX-1000	18"	15-40	Bi-pin	Blue	1000	7.5
FR15T8/8.5/GTX-1000	18"	15-40	Bi-pin	Blue	1000	8.5
FR15T8/8.5/SST-1000	18"	15-40	Bi-pin	Blue	1000	8.5
Voltarc T-5 Facials						
F25T5/7.5/GTX-1000		25	Bi-pin	Blue	1000	7.5
F25T5/PWR-12		25	Bi-pin	Blue	1000	
F25T5/PWR-15		25	Bi-pin	Blue	1000	
Voltarc T-5 'CGN' Series Red Lamps						
F12T5 RED 'CGN' Series		12	Bi-pin	Red	1000	
F25T5 RED 'CGN' Series		25	Bi-pin	Red	1000	
Voltarc T8 CLR Series Ambient Color Lamps						
F15T8 Neo Ruby		15	Bi-pin	Neo Ruby	1000	
F15T8 Mercury Rose		15	Bi-pin	Mercury Rose	1000	
F15T8 Neo Red		15	Bi-pin	Neo Red	1000	
F15T8 Gold		15	Bi-pin	Gold	1000	
F15T8 Green		15	Bi-pin	Green	1000	
F15T8 Ultra Blue		15	Bi-pin	Ultra Blue	1000	
WOLFF SYSTEM						
Bellarium S	71"	100	Bi-pin	Warm	1000	
Bellarium S	73"	100	RDC	Warm	1000	
Bellarium S/R	71"	R160	Bi-pin	Blue	800	



Model	Length	Wattage	Bi-pin/RDC	Color	Average Rated Lifetime	UVB Percent
BodyScan X Plus	71"	100	Bi-pin	Blue	1000	
BodyScan XR Plus	71"	R100	Bi-pin	Blue	800	
BodyScan XXR	71"	R160	Bi-pin	Blue	800	
BodyScan XXXR	71"	R160	Bi-pin	Blue	800	
BodyScan X Plus	59"	100	Bi-pin	Blue	800	
Bronzing Sun	71"	100	Bi-pin	Blue	800	
Bronzing Sun	73"	100	RDC	Blue	800	
Bronzing Sun	59"	R80	Bi-pin	Blue	500	
Bronzing Sun	71"	R100	Bi-pin	Blue	800	
Bronzing Sun	73"	R100	RDC	Blue	800	
Bronzing Sun Elite	59"	R140	Bi-pin	Blue	500	
Bronzing Sun Elite	71"	R160	Bi-pin	Blue	500	
Bronzing Sun Elite	73"	R160	RDC	Blue	500	
Bronzing Sun VS-R	59"	R140	Bi-pin	Blue	800	
Bronzing Sun VHO	71"	160	Bi-pin	Blue	800	
Bronzing Sun VS-R	71"	R160	Bi-pin	Blue	800	
Bronzing Sun VS-R	73"	R160	RDC	Blue	800	
Bronzing Sun VS-R	79"/2 meter	R180	Bi-pin	Blue	800	
Bronzing Sun Gold	71"	R200	Bi-pin	Blue	500	
Bronzing Sun Gold	79"/2 meter	R200	Bi-pin	Blue	500	
Bronzing Sun Mag	71"	R100	Bi-pin	Blue	800	
Bronzing Sun Plus	71"	R100	Bi-pin	Blue	800	
Bronzing Sun Plus VS-R	71"	R160	Bi-pin	Blue	800	
Bronzing Sun Plus VS-R	73"	R160	RDC	Blue	800	
Bronzing Sun HPK90	71"	100	Bi-pin	Blue	1500	
Bronzing Sun HPK90	71"	R100	Bi-pin	Blue	1000	
Bronzing Sun HPK90 Plus	71"	R160	Bi-pin	Blue	1000	
Bronzing Sun HPK90	71"	R180	Bi-pin	Blue	1000	
Bronzing Sun HPK90	71"	R180	Bi-pin	Blue	750	
Bronzing Sun HPK90	71	R200	Bi-pin	Blue	600	
Bronzing Sun Plus	71"	100	Bi-pin	Blue	800	
Crystal Sun S	71"	100	Bi-pin	Warm	1000	
Dark Tan	71"	100	Bi-pin	Blue	500	
Dark Tan	73"	100	RDC	Blue	500	
Dark Tan Elite	71"	100	Bi-pin	Blue	500	
Dark Tan Elite	73"	100	RDC	Blue	500	
Dark Tan Plus	71"	100	Bi-pin	Blue	500	
Dark Tan Plus	73"	100	RDC	Blue	500	
Dark Tan II	71	100	Bi-pin	Blue	600	
Dark Tan II	73	100	RDC	Blue	600	
Dark Tan II Plus	71	100	Bi-pin	Blue	600	
Dark Tan II Plus	73	100	RDC	Blue	600	
Dark Tan II Plus	71	R100	Bi-pin	Blue	600	
Diamond Sun S	59"	80	Bi-pin	Warm	1000	
Diamond Sun S	71"	100	Bi-pin	Warm	1000	
Diamond Sun S	72"	100	RDC	Warm	1000	
Diamond Sun S	73"	100	RDC	Warm	1000	
Dominion	71"	100	Bi-pin	Warm	1000	
Dominion	73"	100	RDC	Warm	1000	
Eternal Sun	59"	80	Bi-pin	Warm	1000	
Eternal Sun EX	71"	100	Bi-pin	Blue	1000	
Eternal Sun EX	73"	100	RDC	Blue	1000	
Eternal Sun SX	71"	100	Bi-pin	Blue	1000	
Eternal Sun SX	73"	100	RDC	Blue	1000	
Eternal Sun UXR	71"	R160	Bi-pin	Blue	800	
EuroSun S3	71"	100	Bi-pin	Warm	1500	
EuroSun S3	73"	100	RDC	Warm	1500	
EverGlo	59"	80	Bi-pin	Warm	1000	
EverGlo	71"	100	Bi-pin	Warm	1000	
EverGlo	73"	100	RDC	Warm	1000	
Solarium VHO	72"	160	RDC	Warm	800	
Solarium VHO	73"	160	RDC	Warm	800	
Solarium XLR	72"	R160	RDC	Warm	800	
Solarium XLR	73"	R160	RDC	Warm	800	
Velocity	59"	80	Bi-pin	Blue	1000	
Velocity	71"	100	Bi-pin	Blue	1000	
Velocity	73"	100	RDC	Blue	1000	
Velocity Extreme	71"	100	Bi-pin	Blue	1000	
Velocity Hi Watt	73"	120	RDC	Blue	1000	
Velocity Plus	71"	100/120	Bi-pin	Blue	1000	
Velocity Plus	73"	100/120	RDC	Blue	1000	
Velocity VS-R	71"	R160	Bi-pin	Blue	800	
Facials and High Pressure						
SuperCrystal	HP	400	R7s		800	
Turbo Sun	F12	F12	Bi-pin	Warm	1000	
Beauty Sun A	F21	25	Bi-pin	Warm	1000	
Solarium LR	F25	R40	Bi-pin	Blue	500	

When reading lamp specifications, remember: **"Rated Lifetime" is set by each lamp maker and isn't always an accurate comparison between brands. *"UVB Ratio" doesn't tell the absolute output of the lamp.*